

# **Risk Classification of Organisms: Pathogenicity classification of fungi**

**Status November 2024**

**COGEM advice CGM/241205-01**

## **1. Dutch Regulations Genetically Modified Organisms**

In the Dutch Decree on Genetically Modified Organisms (GMO Decree) and its accompanying more detailed Regulations (GMO Regulations) genetically modified micro-organisms are grouped in four pathogenicity classes, ranging from the lowest pathogenicity Class 1, to the highest Class 4.<sup>1</sup> The pathogenicity classifications are used to determine the containment level for working with GMOs.

A micro-organism of Class 1 should at least comply with one of the following conditions:

- 1) the micro-organism does not belong to a species of which representatives are known to be pathogenic for humans, animals or plants,
- 2) the micro-organism has a long history of safe use under conditions without specific containment measures,
- 3) the micro-organism belongs to a species that includes representatives of class 2, 3 or 4, but the particular strain does not contain genetic material that is responsible for the virulence,
- 4) the micro-organism has been shown to be non-virulent through adequate tests.

A micro-organism is grouped in Class 2 when it can cause a disease in humans or animals whereby it is unlikely to spread within the population while an effective prophylaxis, treatment or control strategy exists, as well as an organism that can cause a disease in plants.

A micro-organism is grouped in Class 3 when it can cause a serious disease in humans or animals whereby it is likely to spread within the population while an effective prophylaxis, treatment or control strategy exists.

A micro-organism is grouped in Class 4 when it can cause a very serious disease in humans or animals whereby it is likely to spread within the population while no effective prophylaxis, treatment or control strategy exists.

## **2. Pathogenicity classification of fungi**

The Netherlands Commission on Genetic Modification (COGEM) advises the Dutch government (amongst others) on the classification in risk groups (classes) of organisms according to the risk they pose to human health and the environment. These classifications are written in Dutch and are therefore only published on the Dutch part of the COGEM website.

In order to inform other countries and/or organisations about the classification of organisms by COGEM, the most recent classification list of fungi has been translated. The classifications of all fungi that have been advised on by COGEM until the 5th of December 2024, are listed alphabetically in two separate tables.

---

1. Ministerie van Infrastructuur en Milieu. Regeling genetisch gemodificeerde organismen milieubeheer 2013. <https://wetten.overheid.nl/BWBR0035072/2021-04-01> [In Dutch] Visited on 13 of August, 2024

Table 1 holds all apathogenic fungi and table 2 contains all pathogenic fungi. In the column 'remarks' of table 2 it is indicated whether a pathogenic fungus is also pathogenic for plants (P), fungi (F) and/or animals (A). Furthermore, if it is known by COGEM that the fungus produces toxin and/or can cause an allergic reaction in humans, this is indicated in the 'remarks' column.

Fungi can multiply via both sexual (teleomorph) and asexual (anamorph) reproduction. A fungal species can appear morphologically different in the teleomorph and anamorph stages, and is therefore given different names. It has been decided by the 'International Botanical Congress' to replace the dual nomenclature system, and to state fungal species with one name from 2013 onward.<sup>2</sup> This system is currently still in transition, causing some fungal species to be known by various names. In this pathogenicity classification list, table 1 and 2, the currently accepted names of the fungal species, based on the Mycobank database,<sup>3</sup> are provided in the first column. The teleomorph and anamorph names are also listed, together with alternative names (synonyms and former names) of the fungi.

---

2. Hawksworth DL (2011). A new dawn for the naming of fungi: impacts of decisions made in Melbourne in July 2011 on the future publication and regulation of fungal names. *IMA Fungus* 2:155-162

3. Mycobank. <https://www.mycobank.org/page/Simple%20names%20search> (visited: October 3rd 2024)

**Table 1.** Overview of the pathogenicity classification of apathogenic fungi. PC – pathogenicity class. sp. – subspecies. var. – variety

| Family            | Name                               | Teleomorph (= sexual) name   | Anamorph (= asexual) name          | Alternative name/ Name used in COGEM advice | Remarks                | PC | Advice number                 |
|-------------------|------------------------------------|------------------------------|------------------------------------|---------------------------------------------|------------------------|----|-------------------------------|
| Agaricaceae       | <i>Agaricus bisporus</i>           | <i>Agaricus bisporus</i>     |                                    |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Arthrobotryaceae  | <i>Arthrobotrys flagrans</i>       | <i>Duddingtonia flagrans</i> | <i>Trichothecium flagrans</i>      |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Arthrodermataceae | <i>Arthroderma pannicola</i>       |                              | <i>Chrysosporium pannicola</i>     | = <i>Chrysosporium pannicola</i>            |                        | 1  | <a href="#">CGM/111024-02</a> |
| Arthrodermataceae | <i>Arthroderma thuringiense</i>    |                              | <i>Trichophyton thuringiense</i>   | before <i>Trichophyton thuringiense</i>     |                        | 1  | <a href="#">CGM/111024-02</a> |
| Arthrodermataceae | <i>Arthroderma uncinatum</i>       | <i>Arthroderma uncinatum</i> | <i>Trichophyton ajelloi</i>        |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Arthrodermataceae | <i>Epidermophyton stockdaleae</i>  |                              | <i>Epidermophyton stockdaleae</i>  |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Arthrodermataceae | <i>Guarromyces ceretanicus</i>     |                              | <i>Keratinomyces ceretanicus</i>   | before <i>Keratinomyces ceretanicus</i>     |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus avenaceus</i>       |                              | <i>Aspergillus avenaceus</i>       |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus brasiliensis</i>    |                              | <i>Aspergillus brasiliensis</i>    |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus caesiellus</i>      |                              | <i>Aspergillus caesiellus</i>      |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus calidoustus</i>     |                              | <i>Aspergillus calidoustus</i>     |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus candidus</i>        |                              | <i>Aspergillus candidus</i>        |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus chevalieri</i>      | <i>Eurotium chevalieri</i>   | <i>Aspergillus chevalieri</i>      |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus conicus</i>         |                              | <i>Aspergillus conicus</i>         |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus deflectus</i>       |                              | <i>Aspergillus deflectus</i>       |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus fischeri</i>        | <i>Neosartorya fischeri</i>  | <i>Aspergillus fischerianus</i>    |                                             | known to produce toxin | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus flavipes</i>        | <i>Fennellia flavipes</i>    | <i>Aspergillus flavipes</i>        |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus fumigatiaffinis</i> |                              | <i>Aspergillus fumigatiaffinis</i> |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus fumisynnematus</i>  |                              | <i>Aspergillus fumisynnematus</i>  |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus glaucus</i>         | <i>Eurotium herbariorum</i>  | <i>Aspergillus glaucus</i>         |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus granulosis</i>      |                              | <i>Aspergillus granulosis</i>      |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus insolitus</i>       |                              | <i>Polypaecilum insolutum</i>      |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus janus</i>           |                              | <i>Aspergillus janus</i>           |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus japonicus</i>       |                              | <i>Aspergillus japonicus</i>       |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus luchuensis</i>      |                              | <i>Aspergillus luchuensis</i>      |                                             |                        | 1  | <a href="#">CGM/211004-01</a> |
| Aspergillaceae    | <i>Aspergillus montevidensis</i>   | <i>Eurotium amstelodami</i>  | <i>Aspergillus hollandicus</i>     |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus neotritici</i>      |                              | <i>Aspergillus tritici</i>         | = <i>Aspergillus tritici</i>                |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus nidulans</i>        | <i>Emericella nidulans</i>   | <i>Aspergillus nidulans</i>        |                                             | known to produce toxin | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae    | <i>Aspergillus niger</i>           |                              | <i>Aspergillus niger</i>           | = <i>Aspergillus foetidus</i>               | known to produce toxin | 1  | <a href="#">CGM/170628-02</a> |

| Family             | Name                                    | Teleomorph (= sexual) name       | Anamorph (= asexual) name               | Alternative name/ Name used in COGEM advice | Remarks                | PC | Advice number                 |
|--------------------|-----------------------------------------|----------------------------------|-----------------------------------------|---------------------------------------------|------------------------|----|-------------------------------|
| Aspergillaceae     | <i>Aspergillus ochraceopetaliformis</i> |                                  | <i>Aspergillus ochraceopetaliformis</i> |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus oryzae</i>               |                                  | <i>Aspergillus oryzae</i>               |                                             | known to produce toxin | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus parvulus</i>             |                                  | <i>Aspergillus parvulus</i>             |                                             |                        | 1  | <a href="#">CGM/210805-01</a> |
| Aspergillaceae     | <i>Aspergillus pseudoglaucus</i>        | <i>Eurotium repens</i>           | <i>Aspergillus reptans</i>              |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus quadrilineatus</i>       | <i>Emericella quadrilineata</i>  | <i>Aspergillus tetrazonus</i>           |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus restrictus</i>           |                                  | <i>Aspergillus restrictus</i>           |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus sojae</i>                |                                  | <i>Aspergillus sojae</i>                |                                             | known to produce toxin | 1  | <a href="#">CGM/080131-05</a> |
| Aspergillaceae     | <i>Aspergillus spinosus</i>             | <i>Neosartorya spinosa</i>       | <i>Aspergillus spinosus</i>             |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus sydowii</i>              |                                  | <i>Aspergillus sydowii</i>              |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus udagawae</i>             | <i>Neosartorya udagawae</i>      | <i>Aspergillus udagawae</i>             |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus unguis</i>               | <i>Emericella unguis</i>         | <i>Aspergillus unguis</i>               |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus ustus</i>                |                                  | <i>Aspergillus ustus</i>                |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Aspergillus vадensis</i>             |                                  | <i>Aspergillus vадense</i>              |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Monascus ruber</i>                   | <i>Monascus ruber</i>            | <i>Basipetospora rubra</i>              |                                             | known to produce toxin | 1  | <a href="#">CGM/100813-01</a> |
| Aspergillaceae     | <i>Penicillium aurantiogriseum</i>      |                                  | <i>Penicillium aurantiogriseum</i>      |                                             | known to produce toxin | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Penicillium brasilianum</i>          |                                  | <i>Penicillium brasilianum</i>          |                                             | known to produce toxin | 1  | <a href="#">CGM/150108-01</a> |
| Aspergillaceae     | <i>Penicillium chrysogenum</i>          |                                  | <i>Penicillium chrysogenum</i>          |                                             | known to produce toxin | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Penicillium decumbens</i>            |                                  | <i>Penicillium decumbens</i>            |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Penicillium discolor</i>             |                                  |                                         |                                             | known to produce toxin | 1  | <a href="#">CGM/231204-01</a> |
| Aspergillaceae     | <i>Penicillium roqueforti</i>           |                                  | <i>Penicillium roqueforti</i>           |                                             | known to produce toxin | 1  | <a href="#">CGM/170316-01</a> |
| Aspergillaceae     | <i>Penicillium spinulosum</i>           |                                  | <i>Penicillium spinulosum</i>           |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Aspergillaceae     | <i>Penicillium subrubescens</i>         |                                  |                                         |                                             |                        | 1  | <a href="#">CGM/190122-02</a> |
| Aspergillaceae     | <i>Xerochrysium dermatitidis</i>        |                                  | <i>Chrysosporium inops</i>              |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Bionectriaceae     | <i>Acremonium potronii</i>              |                                  | <i>Acremonium potronii</i>              |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Bionectriaceae     | <i>Bulbithecium spinosum</i>            |                                  | <i>Acremonium spinosum</i>              | = <i>Acremonium spinosum</i>                |                        | 1  | <a href="#">CGM/111024-02</a> |
| Bionectriaceae     | <i>Caespitomonium hyalinulum</i>        |                                  | <i>Acremonium hyalinulum</i>            | = <i>Acremonium hyalinulum</i>              |                        | 1  | <a href="#">CGM/111024-02</a> |
| Bionectriaceae     | <i>Gliomastix roseogrisea</i>           |                                  | <i>Acremonium roseogriseum</i>          | = <i>Acremonium roseogriseum</i>            |                        | 1  | <a href="#">CGM/111024-02</a> |
| Bionectriaceae     | <i>Phialemonium atrogriseum</i>         |                                  | <i>Acremonium atrogriseum</i>           | = <i>Acremonium atrogriseum</i>             |                        | 1  | <a href="#">CGM/111024-02</a> |
| Bionectriaceae     | <i>Proxiovicillium blochii</i>          |                                  | <i>Acremonium blochii</i>               | = <i>Acremonium blochii</i>                 |                        | 1  | <a href="#">CGM/111024-02</a> |
| Botryosphaeriaceae | <i>Neodeightonia subglobosa</i>         | <i>Botryosphaeria subglobosa</i> | <i>Sphaeropsis subglobosa</i>           |                                             |                        | 1  | <a href="#">CGM/111024-02</a> |

| Family             | Name                                    | Teleomorph (= sexual) name         | Anamorph (= asexual) name            | Alternative name/ Name used in COGEM advice                                                          | Remarks                | PC | Advice number                 |
|--------------------|-----------------------------------------|------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------|------------------------|----|-------------------------------|
| Chaetomiaceae      | <i>Acrophialophora fusispora</i>        |                                    | <i>Acrophialophora fusispora</i>     |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Amesia atrobrunnea</i>               | <i>Chaetomium atrobrunneum</i>     |                                      |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Botryotrichum murorum</i>            | <i>Chaetomium murorum</i>          |                                      |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Chaetomium strumarium</i>            | <i>Chaetomium strumarium</i>       |                                      | before <i>Achaetomium strumarium</i>                                                                 |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Corynascus fumimontanus</i>          | <i>Corynascus fumimontanus</i>     |                                      |                                                                                                      |                        | 1  | <a href="#">CGM/170216-01</a> |
| Chaetomiaceae      | <i>Corynascus thermophilus</i>          | <i>Corynascus thermophilus</i>     | <i>Myceliophthora fergusii</i>       | = <i>Thielavia thermophila</i> , <i>Chaetomidium thermophilum</i> , <i>Crassicarpon thermophilum</i> |                        | 1  | <a href="#">CGM/170313-01</a> |
| Chaetomiaceae      | <i>Dichotomopilus funicola</i>          | <i>Chaetomium funicola</i>         |                                      |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Melanocarpus albomyces</i>           | <i>Melanocarpus albomyces</i>      |                                      | before <i>Myriococcum albomyces</i> and <i>Thielavia albomyces</i>                                   | known to produce toxin | 1  | <a href="#">CGM/170124-01</a> |
| Chaetomiaceae      | <i>Mycothermus thermophilus</i>         |                                    |                                      | before <i>Scytalidium thermophilum</i> , <i>Torula thermophila</i> and <i>Humicola insolescens</i>   |                        | 1  | <a href="#">CGM/170110-01</a> |
| Chaetomiaceae      | <i>Parathielavia hyrcaniae</i>          | <i>Parathielavia hyrcaniae</i>     |                                      | before <i>Thielavia hyrcaniae</i>                                                                    |                        | 1  | <a href="#">CGM/211001-01</a> |
| Chaetomiaceae      | <i>Staphylotrichum coccosporum</i>      |                                    | <i>Staphylotrichum coccosporum</i>   |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Thermothelomyces heterothallicus</i> | <i>Corynascus heterothallicus</i>  | <i>Myceliophthora heterothallica</i> | = <i>Thermothelomyces heterothallicus</i> = <i>Myceliophthora heterothallica</i>                     |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Thermothielavioides terrestris</i>   | <i>Thielavia terrestris</i>        | <i>Acremonium alabamense</i>         | = <i>Thielavia terrestris</i>                                                                        |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chaetomiaceae      | <i>Trichocladium asperum</i>            |                                    | <i>Trichocladium asperum</i>         |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Chlorociboriaceae  | <i>Chlorociboria aeruginascens</i>      |                                    | <i>Dothiorina tulasnei</i>           |                                                                                                      |                        | 1  | <a href="#">CGM/210805-01</a> |
| Cladosporiaceae    | <i>Cladosporium sphaerospermum</i>      |                                    | <i>Cladosporium sphaerospermum</i>   |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Clavicipitaceae    | <i>Chamaeleomyces viridis</i>           |                                    | <i>Paecilomyces viridis</i>          |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Clavicipitaceae    | <i>Marquandomyces marquandii</i>        |                                    | <i>Paecilomyces marquandii</i>       | = <i>Metarhizium marquandii</i>                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Clavicipitaceae    | <i>Metarhizium viride</i>               | <i>Chlamydoabsidia padenii</i>     |                                      | = <i>Chlamydoabsidia padenii</i>                                                                     |                        | 1  | <a href="#">CGM/111024-02</a> |
| Coniochaetaceae    | <i>Coniochaeta mutabilis</i>            |                                    | <i>Lecythophora mutabilis</i>        |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Cordycipitaceae    | <i>Cordyceps javanica</i>               |                                    | <i>Paecilomyces javanicus</i>        |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Cordycipitaceae    | <i>Parengyodontium album</i>            |                                    | <i>Engyodontium album</i>            | = <i>Engyodontium album</i>                                                                          |                        | 1  | <a href="#">CGM/111024-02</a> |
| Cucurbitariaceae   | <i>Neocucurbitaria cava</i>             |                                    | <i>Pleurophoma cava</i>              |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Cyclothyriellaceae | <i>Massariosphaeria phaeospora</i>      | <i>Massariosphaeria phaeospora</i> |                                      | = <i>Leptosphaeria phaeospora</i>                                                                    |                        | 1  | <a href="#">CGM/211001-01</a> |
| Cyphellophoraceae  | <i>Cyphellophora deltoidea</i>          |                                    | <i>Anthopsis deltoidea</i>           | before <i>Anthopsis deltoidea</i>                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| Cyphellophoraceae  | <i>Cyphellophora laciniata</i>          |                                    | <i>Cyphellophora laciniata</i>       |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Cyphellophoraceae  | <i>Cyphellophora pluriseptata</i>       |                                    | <i>Cyphellophora pluriseptata</i>    |                                                                                                      |                        | 1  | <a href="#">CGM/111024-02</a> |
| Cyphellophoraceae  | <i>Cyphellophora reptans</i>            |                                    | <i>Phialophora reptans</i>           | before <i>Phialophora reptans</i>                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |

| Family               | Name                               | Teleomorph (= sexual) name           | Anamorph (= asexual) name           | Alternative name/ Name used in COGEM advice                                             | Remarks | PC | Advice number                 |
|----------------------|------------------------------------|--------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------|---------|----|-------------------------------|
| Cystobasidiaceae     | <i>Cystobasidium minutum</i>       |                                      | <i>Rhodotorula minuta</i>           | = <i>Rhodotorula minuta</i>                                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| Cystofilobasidiaceae | <i>Cystofilobasidium macerans</i>  |                                      | <i>Cryptococcus macerans</i>        |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Cystofilobasidiaceae | <i>Phaffia rhodozyma</i>           | <i>Xanthophyllomyces dendrorhous</i> | <i>Phaffia rhodozyma</i>            |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Debaryomycetaceae    | <i>Candida maltosa</i>             |                                      | <i>Candida maltosa</i>              | <i>C. maltosa</i> = <i>C. cloacae</i> = <i>C. novellus</i><br>= <i>C. subtropicalis</i> |         | 1  | <a href="#">CGM/140905-01</a> |
| Debaryomycetaceae    | <i>Candida oleophila</i>           |                                      | <i>Candida oleophila</i>            |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Debaryomycetaceae    | <i>Candida viswanathii</i>         |                                      | <i>Candida viswanathii</i>          |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Debaryomycetaceae    | <i>Candida zeylanoides</i>         |                                      | <i>Candida zeylanoides</i>          |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Debaryomycetaceae    | <i>Debaryomyces hansenii</i>       | <i>Debaryomyces hansenii</i>         | <i>Candida famata</i>               |                                                                                         |         | 1  | <a href="#">CGM/240313-01</a> |
| Debaryomycetaceae    | <i>Diutina rugosa</i>              |                                      | <i>Candida rugosa</i>               | = <i>Candida rugosa</i>                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| Debaryomycetaceae    | <i>Kodamaea ohmeri</i>             | <i>Kodamaea ohmeri</i>               |                                     | = <i>Pichia ohmeri</i>                                                                  |         | 1  | <a href="#">CGM/111024-02</a> |
| Debaryomycetaceae    | <i>Meyerozyma guilliermondii</i>   | <i>Meyerozyma guilliermondii</i>     | <i>Candida guilliermondii</i>       | <i>M. guilliermondii</i> = <i>Pichia guilliermondii</i>                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| Debaryomycetaceae    | <i>Scheffersomyces stipitis</i>    | <i>Scheffersomyces stipitis</i>      |                                     | before <i>Pichia stipitis</i>                                                           |         | 1  | <a href="#">CGM/170810-01</a> |
| Debaryomycetaceae    | <i>Schwanniomyces occidentalis</i> |                                      |                                     |                                                                                         |         | 1  | <a href="#">CGM/150303-02</a> |
| Didymellaceae        | <i>Phoma minutella</i>             |                                      | <i>Phoma minutella</i>              |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Didymosphaeriaceae   | <i>Paraphaeosphaeria minitans</i>  |                                      | <i>Coniothyrium minitans</i>        |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Filobasidiaceae      | <i>Filobasidium magnum</i>         |                                      | <i>Cryptococcus ater</i>            | <i>C. ater</i> = <i>Cryptococcus magnus</i>                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| Filobasidiaceae      | <i>Naganishia adeliensis</i>       |                                      | <i>Cryptococcus adeliensis</i>      |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Filobasidiaceae      | <i>Naganishia albida</i>           |                                      | <i>Cryptococcus albidus</i>         |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Filobasidiaceae      | <i>Naganishia diffluens</i>        |                                      | <i>Cryptococcus diffluens</i>       |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Filobasidiaceae      | <i>Naganishia liquefaciens</i>     |                                      | <i>Cryptococcus liquefaciens</i>    |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Filobasidiaceae      | <i>Naganishia uzbekistanensis</i>  |                                      | <i>Cryptococcus uzbekistanensis</i> |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Gjaerumiaceae        | <i>Gjaerumia minor</i>             |                                      | <i>Tilletiopsis minor</i>           | before <i>Tilletiopsis minor</i>                                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| Glomeraceae          | <i>Funneliformis mosseae</i>       |                                      |                                     | before <i>Glomus mossae</i>                                                             |         | 1  | <a href="#">CGM/200128-01</a> |
| Glomeraceae          | <i>Rhizoglomus irregulare</i>      |                                      |                                     | = <i>Rhizophagus irregularis</i>                                                        |         | 1  | <a href="#">CGM/180326-01</a> |
| Glomeraceae          | <i>Rhizophagus aggregatus</i>      |                                      |                                     | = <i>Rhizoglomus aggregatum</i>                                                         |         | 1  | <a href="#">CGM/191017-01</a> |
| Glomeraceae          | <i>Rhizophagus clarus</i>          |                                      |                                     | = <i>Rhizoglomus clarum</i>                                                             |         | 1  | <a href="#">CGM/191017-01</a> |
| Glomeraceae          | <i>Rhizophagus manihotis</i>       |                                      |                                     | = <i>Rhizoglomus manihotis</i>                                                          |         | 1  | <a href="#">CGM/191017-01</a> |
| Gymnoascaceae        | <i>Narasimhella hyalinospora</i>   | <i>Narasimhella hyalinospora</i>     |                                     |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Herpotrichiellaceae  | <i>Exophiala xenobiotica</i>       |                                      | <i>Exophiala xenobiotica</i>        |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Herpotrichiellaceae  | <i>Phaeococcomyces exophialae</i>  |                                      | <i>Phaeococcomyces exophialae</i>   |                                                                                         |         | 1  | <a href="#">CGM/111024-02</a> |

| Family                     | Name                                  | Teleomorph (= sexual) name            | Anamorph (= asexual) name          | Alternative name/ Name used in COGEM advice                        | Remarks                | PC | Advice number                 |
|----------------------------|---------------------------------------|---------------------------------------|------------------------------------|--------------------------------------------------------------------|------------------------|----|-------------------------------|
| <i>Herpotrichiellaceae</i> | <i>Phialophora bubakii</i>            |                                       | <i>Phialophora bubakii</i>         |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Herpotrichiellaceae</i> | <i>Rhinocladiella atrovirens</i>      |                                       | <i>Rhinocladiella atrovirens</i>   |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Herpotrichiellaceae</i> | <i>Rhinocladiella basitona</i>        |                                       | <i>Rhinocladiella basitona</i>     |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Herpotrichiellaceae</i> | <i>Veronaea botryosa</i>              |                                       | <i>Veronaea botryosa</i>           |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma asperellum</i>         |                                       | <i>Trichoderma asperellum</i>      | before <i>Trichoderma harzianum</i> and <i>Trichoderma viride</i>  | known to produce toxin | 1  | <a href="#">CGM/111024-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma atroviride</i>         |                                       | <i>Trichoderma atroviride</i>      |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma gamsii</i>             |                                       | <i>Trichoderma gamsii</i>          |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma longibrachiatum</i>    |                                       | <i>Trichoderma longibrachiatum</i> |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma polysporum</i>         |                                       | <i>Trichoderma polysporum</i>      |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma pseudokoningii</i>     | <i>Hypocrea pseudokoningii</i>        | <i>Trichoderma pseudokoningii</i>  |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma reesei</i>             |                                       | <i>Trichoderma reesei</i>          |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Irpicaceae</i>          | <i>Irpex lacteus</i>                  | <i>Irpex lacteus</i>                  |                                    | <i>I. lacteus</i> = <i>Polyporus tulipiferae</i>                   |                        | 1  | <a href="#">CGM/140227-03</a> |
| <i>Lasiosphaeriaceae</i>   | <i>Cercophora scorteae</i>            | <i>Cercophora scorteae</i>            |                                    |                                                                    |                        | 1  | <a href="#">CGM/211001-01</a> |
| <i>Lichtheimiaceae</i>     | <i>Rhizomucor miehei</i>              | <i>Rhizomucor miehei</i>              |                                    | = <i>Mucor miehei</i>                                              |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Lichtheimiaceae</i>     | <i>Thermomucor indicae-seudaticae</i> | <i>Thermomucor indicae-seudaticae</i> |                                    |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Lyophyllaceae</i>       | <i>Termitomyces</i> sp.               |                                       |                                    | <i>Termitomyces</i> symbiont of <i>Macrotermes natalensis</i>      |                        | 1  | <a href="#">CGM/180417-01</a> |
| <i>Malasseziaceae</i>      | <i>Malassezia dermatis</i>            |                                       | <i>Malassezia dermatis</i>         |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Malbrancheaceae</i>     | <i>Malbranchea pulchella</i>          |                                       | <i>Malbranchea pulchella</i>       |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Massarinaceae</i>       | <i>Massarina fluvialis</i>            | <i>Lentithecium fluviale</i>          |                                    | = <i>Lentithecium fluviale</i> ; before <i>Massarina fluvialis</i> |                        | 1  | <a href="#">CGM/211001-01</a> |
| <i>Melanommataceae</i>     | <i>Pleurophomopsis lignicola</i>      |                                       | <i>Pleurophomopsis lignicola</i>   |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Meruliaceae</i>         | <i>Ceriporiopsis rivulosa</i>         | <i>Physisporinus rivulosus</i>        |                                    | = <i>Physisporinus rivulosus</i>                                   |                        | 1  | <a href="#">CGM/140605-02</a> |
| <i>Meruliaceae</i>         | <i>Ceriporiopsis subvermisporea</i>   | <i>Ceriporiopsis subvermisporea</i>   |                                    |                                                                    |                        | 1  | <a href="#">CGM/140227-03</a> |
| <i>Meruliaceae</i>         | <i>Merulius tremellosus</i>           | <i>Phlebia tremellosa</i>             |                                    | = <i>Phlebia tremellosa</i>                                        |                        | 1  | <a href="#">CGM/140227-03</a> |
| <i>Meruliaceae</i>         | <i>Phlebia radiata</i>                | <i>Phlebia radiata</i>                |                                    | <i>P. radiata</i> = <i>Phlebia merismoides</i>                     |                        | 1  | <a href="#">CGM/140227-03</a> |
| <i>Metschnikowiaceae</i>   | <i>Metschnikowia pulcherrima</i>      | <i>Metschnikowia pulcherrima</i>      | <i>Candida pulcherrima</i>         |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Microascaceae</i>       | <i>Acaulium acremonium</i>            |                                       | <i>Scopulariopsis acremonium</i>   |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Microascaceae</i>       | <i>Microascus cinereus</i>            | <i>Microascus cinereus</i>            | <i>Scopulariopsis cinereus</i>     |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Microascaceae</i>       | <i>Petriella setifera</i>             | <i>Petriella setifera</i>             | <i>Graphium</i> sp.                | = <i>Scedosporium</i> sp.                                          |                        | 1  | <a href="#">CGM/111024-02</a> |
| <i>Microascaceae</i>       | <i>Scedosporium dehoogii</i>          |                                       | <i>Scedosporium dehoogii</i>       |                                                                    |                        | 1  | <a href="#">CGM/111024-02</a> |

| Family                | Name                             | Teleomorph (= sexual) name | Anamorph (= asexual) name        | Alternative name/ Name used in COGEM advice                       | Remarks | PC | Advice number                 |
|-----------------------|----------------------------------|----------------------------|----------------------------------|-------------------------------------------------------------------|---------|----|-------------------------------|
| Microascaceae         | Scopulariopsis asperula          |                            | Scopulariopsis asperula          | = Scopulariopsis fusca                                            |         | 1  | <a href="#">CGM/111024-02</a> |
| Microascaceae         | Scopulariopsis brevicaulis       |                            | Scopulariopsis koningii          |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Microascaceae         | Scopulariopsis candida           | Microascus manginii        | Scopulariopsis candida           |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Microascaceae         | Scopulariopsis flava             |                            | Scopulariopsis flava             |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Microsphaeropsidaceae | Microsphaeropsis olivacea        |                            | Microsphaeropsis olivacea        |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Mortierellaceae       | Mortierella alpina               | Mortierella alpina         |                                  |                                                                   |         | 1  | <a href="#">CGM/120912-01</a> |
| Mortierellaceae       | Mortierella polycephala          | Mortierella polycephala    |                                  |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Mucoraceae            | Mucor indicus                    | Mucor indicus              |                                  |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Mucoraceae            | Mucor lusitanicus                |                            |                                  | before Mucor circinelloides f. lusitanicus                        |         | 1  | <a href="#">CGM/180228-01</a> |
| Mucoraceae            | Mucor ramosissimus               | Mucor ramosissimus         |                                  |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Muyocopronaceae       | Muyocopron sahnii                |                            | Mycoleptodiscus indicus          | = Mycoleptodiscus indicus                                         |         | 1  | <a href="#">CGM/111024-02</a> |
| Mycenaceae            | Panellus stipticus               | Panellus stipticus         |                                  | before Agaricus stipticus                                         |         | 1  | <a href="#">CGM/170316-01</a> |
| Myrmecridiaceae       | Myrmecridium schulzeri           |                            | Myrmecridium schulzeri           | = Ramichloridium schulzeri                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| Mytiliniaceae         | Taeniolella stilbospora          |                            | Taeniolella stilbospora          |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Myxotrichaceae        | Myxotrichum deflexum             | Myxotrichum deflexum       |                                  |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| Myxotrichaceae        | Oidiodendron cereale             |                            | Oidiodendron cerealis            | = Oidiodendron cerealis                                           |         | 1  | <a href="#">CGM/111024-02</a> |
| Myxotrichaceae        | Oidiodendron maius               | Oidiodendron maius         |                                  |                                                                   |         | 1  | <a href="#">CGM/140605-02</a> |
|                       |                                  | Arthroderma flavescens     | Trichophyton flavescens          |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
|                       |                                  | Arthroderma gertleri       | Trichophyton vanbreuseghemii     |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
|                       |                                  | Arthroderma gloriae        | Trichophyton gloriae             |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
|                       |                                  | Arthroderma gypseum        | Microsporum gypseum var. gypseum | A. gypseum = Nannizzia gypsea                                     |         | 1  | <a href="#">CGM/111024-02</a> |
|                       |                                  | Arthroderma insingulare    | Trichophyton terrestre           | A.insingulare = Arthroderma lenticulare = Arthroderma quadrifidum |         | 1  | <a href="#">CGM/111024-02</a> |
|                       | Calypotrozyna arxii              | Calypotrozyna arxii        |                                  |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
|                       | Candidozyma haemuli              |                            | Candida haemulonii               | = Candida haemulonii                                              |         | 1  | <a href="#">CGM/111024-02</a> |
|                       | Cephalophora irregularis         |                            | Cephalophora irregularis         |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
|                       | Dichotomophthoropsis nymphaearum |                            | Dichotomophthoropsis nymphaearum |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
|                       | Glarea lozoyensis                |                            | Glarea lozoyensis                |                                                                   |         | 1  | <a href="#">CGM/080131-05</a> |
|                       |                                  | Arthroderma racemosum      | Microsporum racemosum            |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |
|                       |                                  | Neurospora sitophila       | Chrysonilia sitophila            |                                                                   |         | 1  | <a href="#">CGM/111024-02</a> |

| Family                    | Name                                | Teleomorph (= sexual) name           | Anamorph (= asexual) name           | Alternative name/ Name used in COGEM advice | Remarks | PC | Advice number                 |
|---------------------------|-------------------------------------|--------------------------------------|-------------------------------------|---------------------------------------------|---------|----|-------------------------------|
|                           |                                     | <i>Uncinocarpus queenslandicus</i>   | <i>Chrysosporium queenslandicum</i> |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Nannizziopsis vriesii</i>         | <i>Chrysosporium</i> sp.            |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Uncinocarpus orissi</i>           | <i>Chrysosporium zonatum</i>        |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Coniochaeta ligniaria</i>         | <i>Lecythophora hoffmannii</i>      |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Cosmospora episphaeria</i>        | <i>Fusarium aquaeductuum</i>        |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Filobasidium uniguttulatum</i>    | <i>Cryptococcus uniguttulatus</i>   |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Microascus cirrosus</i>           | <i>Scopulariopsis paisii</i>        |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Neoarachnotheca keratinophila</i> | <i>Myriodontium keratinophilum</i>  |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Phanerochaete chrysosporium</i>   | <i>Sporotrichum pruinosum</i>       |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Pseudeurotium ovale</i>           | <i>Sporothrix</i> sp.               |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           |                                     | <i>Sporidiobolus johnsonii</i>       | <i>Sporobolomyces salmonicolor</i>  |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Ochrocladosporium elatum</i>     |                                      | <i>Cladosporium elatum</i>          |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Ovadendron sulphureoohraceum</i> |                                      | <i>Ovadendron sulphureoohraceum</i> |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Papulaspora equi</i>             |                                      | <i>Papulaspora equi</i>             |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Phaeotrichoconis crotalariae</i> |                                      | <i>Phaeotrichoconis crotalariae</i> |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Scytalidium infestans</i>        |                                      | <i>Scytalidium infestans</i>        |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Scytalidium japonicum</i>        |                                      | <i>Scytalidium japonicum</i>        |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Scytalidium lignicola</i>        |                                      | <i>Scytalidium lignicola</i>        |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
|                           | <i>Yarrowia lipolytica</i>          | <i>Yarrowia lipolytica</i>           | <i>Candida lipolytica</i>           |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Nectriaceae</i>        | <i>Bisifusarium dimerum</i>         |                                      | <i>Fusarium dimerum</i>             |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Nectriaceae</i>        | <i>Neocosmospora lichenicola</i>    |                                      | <i>Cylindrocarpon lichenicola</i>   |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Nectriaceae</i>        | <i>Volutella cinerascens</i>        |                                      | <i>Volutella cinerascens</i>        |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Neoconidiobolaceae</i> | <i>Neoconidiobolus lamprauges</i>   | <i>Conidiobolus lamprauges</i>       |                                     | before <i>Conidiobolus lamprauges</i>       |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Onygenaceae</i>        | <i>Aphanoascus keratinophilus</i>   | <i>Aphanoascus keratinophilus</i>    | <i>Chrysosporium keratinophilum</i> |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Onygenaceae</i>        | <i>Chrysosporium lucknowense</i>    |                                      | <i>Chrysosporium lucknowense</i>    |                                             |         | 1  | <a href="#">CGM/080131-05</a> |
| <i>Ophiostomataceae</i>   | <i>Ophiostoma piceae</i>            | <i>Ophiostoma piceae</i>             | <i>Sporothrix</i> sp.               |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Ophiostomataceae</i>   | <i>Sporothrix stenoceras</i>        | <i>Ophiostoma stenoceras</i>         | <i>Sporothrix</i> sp.               |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Phaeoscleraceae</i>    | <i>Phaeosclera dematioides</i>      |                                      | <i>Phaeosclera dematioides</i>      |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Phaffomycetaceae</i>   | <i>Cyberlindnera fabianii</i>       | <i>Cyberlindnera fabianii</i>        | <i>Candida fabianii</i>             |                                             |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Phaffomycetaceae</i>   | <i>Cyberlindnera jadinii</i>        | <i>Cyberlindnera jadinii</i>         | <i>Candida utilis</i>               | <i>C. jadinii</i> = <i>Pichia jadinii</i>   |         | 1  | <a href="#">CGM/111024-02</a> |

| Family                   | Name                              | Teleomorph (= sexual) name       | Anamorph (= asexual) name                                       | Alternative name/ Name used in COGEM advice                     | Remarks | PC | Advice number                 |
|--------------------------|-----------------------------------|----------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------|---------|----|-------------------------------|
| <i>Phanerochaetaceae</i> | <i>Bjerkandera adusta</i>         | <i>Bjerkandera adusta</i>        |                                                                 |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Phanerochaetaceae</i> | <i>Phlebiopsis gigantea</i>       | <i>Phlebiopsis gigantea</i>      |                                                                 |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Physalacriaceae</i>   | <i>Flammulina velutipes</i>       |                                  |                                                                 |                                                                 |         | 1  | <a href="#">CGM/190930-01</a> |
| <i>Pichiaceae</i>        | <i>Brettanomyces bruxellensis</i> | <i>Dekkera bruxellensis</i>      | <i>Brettanomyces bruxellensis</i>                               |                                                                 |         | 1  | <a href="#">CGM/170810-01</a> |
| <i>Pichiaceae</i>        | <i>Komagataella pastoris</i>      | <i>Komagataella pastoris</i>     |                                                                 | = <i>Pichia pastoris</i>                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pichiaceae</i>        | <i>Ogataea angusta</i>            | <i>Ogataea angusta</i>           |                                                                 | = <i>Pichia angusta</i> = <i>Hansenula angusta</i>              |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pichiaceae</i>        | <i>Ogataea parapolyomorpha</i>    | <i>Ogataea parapolyomorpha</i>   | <i>Candida parapolyomorpha</i>                                  |                                                                 |         | 1  | <a href="#">CGM/161222-01</a> |
| <i>Pichiaceae</i>        | <i>Ogataea polymorpha</i>         | <i>Ogataea polymorpha</i>        |                                                                 | = <i>Pichia polymorpha</i> = <i>Hansenula polymorpha</i>        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pichiaceae</i>        | <i>Pichia fermentans</i>          | <i>Pichia fermentans</i>         | <i>Candida lambica</i>                                          |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pichiaceae</i>        | <i>Pichia kluyveri</i>            | <i>Pichia kluyveri</i>           |                                                                 | = <i>Hansenula kluyveri</i>                                     |         | 1  | <a href="#">CGM/210526-01</a> |
| <i>Pichiaceae</i>        | <i>Pichia methanolica</i>         | <i>Ogataea methanolica</i>       |                                                                 | = <i>Ogataea methanolica</i>                                    |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pichiaceae</i>        | <i>Pichia norvegensis</i>         | <i>Pichia norvegensis</i>        | <i>Candida norvegensis</i>                                      |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Piedraiaceae</i>      | <i>Piedraia hortae</i>            |                                  | <i>Piedraia hortae</i>                                          |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Piedraiaceae</i>      | <i>Piedraia quintanilhae</i>      |                                  | <i>Piedraia quintanilhae</i>                                    |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleosporaceae</i>     | <i>Alternaria botrytis</i>        |                                  | <i>Ulocladium botrytis</i>                                      |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleosporaceae</i>     | <i>Alternaria chartarum</i>       |                                  | <i>Ulocladium chartarum</i>                                     | = <i>Ulocladium chartarum</i>                                   |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleosporaceae</i>     | <i>Alternaria chlamydospora</i>   |                                  | <i>Alternaria chlamydospora</i>                                 |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleosporaceae</i>     | <i>Curvularia brachyspora</i>     |                                  | <i>Curvularia brachyspora</i>                                   |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleosporaceae</i>     | <i>Curvularia papendorfii</i>     |                                  | <i>Drechslera papendorfii</i> ,<br><i>Bipolaris papendorfii</i> |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleosporaceae</i>     | <i>Exserohilum longirostratum</i> |                                  | <i>Exserohilum longirostratum</i>                               |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleosporaceae</i>     | <i>Exserohilum mcginnisii</i>     |                                  | <i>Exserohilum mcginnisii</i>                                   |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleurostomataceae</i> | <i>Pleurostoma repens</i>         |                                  | <i>Phialophora repens</i> ,<br><i>Pleurostomophora repens</i>   | = <i>Phialophora repens</i> =<br><i>Pleurostomophora repens</i> |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleurotaceae</i>      | <i>Pleurotus eryngii</i>          | <i>Pleurotus eryngii</i>         |                                                                 |                                                                 |         | 1  | <a href="#">CGM/140227-03</a> |
| <i>Pleurotaceae</i>      | <i>Pleurotus ostreatus</i>        | <i>Pleurotus ostreatus</i>       |                                                                 |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pleurotaceae</i>      | <i>Pleurotus pulmonarius</i>      | <i>Pleurotus pulmonarius</i>     |                                                                 |                                                                 |         | 1  | <a href="#">CGM/140227-03</a> |
| <i>Pleurotheciaceae</i>  | <i>Phaeoisaria clematidis</i>     |                                  | <i>Phaeoisaria clematidis</i>                                   |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pneumocystidaceae</i> | <i>Pneumocystis murina</i>        | <i>Pneumocystis murina</i>       |                                                                 |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pneumocystidaceae</i> | <i>Pneumocystis oryctolagi</i>    | <i>Pneumocystis oryctolagi</i>   |                                                                 |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pneumocystidaceae</i> | <i>Pneumocystis wakefieldiae</i>  | <i>Pneumocystis wakefieldiae</i> |                                                                 |                                                                 |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Podosporaceae</i>     | <i>Podospora leporina</i>         | <i>Arnium leporinum</i>          |                                                                 | = <i>Arnium leporinum</i>                                       |         | 1  | <a href="#">CGM/111024-02</a> |

| Family                       | Name                                                | Teleomorph (= sexual) name                                 | Anamorph (= asexual) name           | Alternative name/ Name used in COGEM advice                                                                                                                            | Remarks | PC | Advice number                 |
|------------------------------|-----------------------------------------------------|------------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-------------------------------|
| <i>Podosporaceae</i>         | <i>Triangularia pauciseta</i>                       | <i>Podospora pauciseta</i>                                 |                                     | = <i>Podospora pauciseta</i> ; before <i>Podospora anserina</i>                                                                                                        |         | 1  | <a href="#">CGM/140605-02</a> |
| <i>Polyporaceae</i>          | <i>Dichomitus squalens</i>                          | <i>Dichomitus squalens</i>                                 |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/140605-02</a> |
| <i>Polyporaceae</i>          | <i>Trametes ochracea</i>                            | <i>Trametes ochracea</i>                                   |                                     | = <i>Trametes multicolour</i> , before <i>Boletus multicolor</i>                                                                                                       |         | 1  | <a href="#">CGM/170316-01</a> |
| <i>Polyporaceae</i>          | <i>Trametes versicolor</i>                          | <i>Trametes versicolor</i>                                 |                                     | <i>T. versicolor</i> = <i>Coriolus versicolor</i> , <i>Microporus versicolor</i> , <i>Boletus versicolor</i> , <i>Bjerkandera versicolor</i> , <i>Poria versicolor</i> |         | 1  | <a href="#">CGM/140227-03</a> |
| <i>Psathyrellaceae</i>       | <i>Coprinopsis cinerea</i>                          | <i>Coprinopsis cinereus</i>                                | <i>Hormographiella aspergillata</i> | = <i>Coprinopsis cinereus</i>                                                                                                                                          |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Pseudeurotiaceae</i>      | <i>Geomyces pannorum</i>                            |                                                            | <i>Geomyces pannorum</i>            |                                                                                                                                                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Rhizopodaceae</i>         | <i>Rhizopus microsporus</i> var. <i>oligosporus</i> | <i>Rhizopus microsporus</i> var. <i>oligosporus</i>        |                                     | = <i>Rhizopus oligosporus</i>                                                                                                                                          |         | 1  | <a href="#">CGM/230828-02</a> |
| <i>Rhynchogastremataceae</i> | <i>Papiliotrema flavescens</i>                      |                                                            | <i>Cryptococcus flavescens</i>      |                                                                                                                                                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Rhynchogastremataceae</i> | <i>Papiliotrema laurentii</i>                       |                                                            | <i>Cryptococcus laurentii</i>       |                                                                                                                                                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Saccharomycetaceae</i>    | <i>Kazachstania africana</i>                        |                                                            |                                     | before <i>Kluyveromyces africanus</i>                                                                                                                                  |         | 1  | <a href="#">CGM/171225-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Kazachstania telluris</i>                        | <i>Kazachstania telluris</i>                               | <i>Candida pintolopesii</i>         |                                                                                                                                                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Saccharomycetaceae</i>    | <i>Kluyveromyces lactis</i>                         | <i>Kluyveromyces lactis</i>                                | <i>Candida sphaerica</i>            | <i>K. lactis</i> = <i>K. marxianus</i> var. <i>lactis</i>                                                                                                              |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Saccharomycetaceae</i>    | <i>Kluyveromyces marxianus</i>                      | <i>Kluyveromyces marxianus</i>                             | <i>Candida kefir</i>                |                                                                                                                                                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Saccharomycetaceae</i>    | <i>Lachancea kluyveri</i>                           | <i>Lachancea kluyveri</i>                                  |                                     | = <i>Saccharomyces kluyveri</i>                                                                                                                                        |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Saccharomycetaceae</i>    | <i>Lachancea thermotolerans</i>                     | <i>Lachancea thermotolerans</i>                            |                                     | = <i>Kluyveromyces thermotolerans</i>                                                                                                                                  |         | 1  | <a href="#">CGM/210118-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Maudiozyma bulderi</i>                           |                                                            |                                     | = <i>Kazachstania bulderi</i> ; before <i>Saccharomyces bulderi</i>                                                                                                    |         | 1  | <a href="#">CGM/171225-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Naumovozyma castellii</i>                        |                                                            |                                     | before <i>Saccharomyces castellii</i> and <i>Naumovia castellii</i>                                                                                                    |         | 1  | <a href="#">CGM/171225-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Saccharomyces bayanus</i>                        | <i>Saccharomyces uvarum</i> , <i>Saccharomyces bayanus</i> |                                     | = <i>Saccharomyces uvarum</i>                                                                                                                                          |         | 1  | <a href="#">CGM/111024-02</a> |
| <i>Saccharomycetaceae</i>    | <i>Saccharomyces cerevisiae</i>                     | <i>Saccharomyces cerevisiae</i>                            |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/131029-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Saccharomyces eubayanus</i>                      | <i>Saccharomyces eubayanus</i>                             |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/140218-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Saccharomyces kudriavzevii</i>                   | <i>Saccharomyces kudriavzevii</i>                          |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/140218-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Saccharomyces mikatae</i>                        | <i>Saccharomyces mikatae</i>                               |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/140218-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Saccharomyces paradoxus</i>                      | <i>Saccharomyces paradoxus</i>                             |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/140218-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Saccharomyces pastorianus</i>                    | <i>Saccharomyces pastorianus</i>                           |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/140218-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Tetrapisispora phaffii</i>                       |                                                            |                                     | before <i>Fabospora phaffii</i> and <i>Kluyveromyces phaffii</i>                                                                                                       |         | 1  | <a href="#">CGM/171225-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Torulaspora delbrueckii</i>                      | <i>Torulaspora delbrueckii</i>                             | <i>Candida colliculosa</i>          | before <i>Saccharomyces delbrueckii</i>                                                                                                                                |         | 1  | <a href="#">CGM/171225-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Vanderwaltozyma polyspora</i>                    |                                                            |                                     | before <i>Kluyveromyces polysporus</i>                                                                                                                                 |         | 1  | <a href="#">CGM/171225-01</a> |
| <i>Saccharomycetaceae</i>    | <i>Zygosaccharomyces bailii</i>                     | <i>Zygosaccharomyces bailii</i>                            |                                     |                                                                                                                                                                        |         | 1  | <a href="#">CGM/091019-01</a> |

| Family                   | Name                                                   | Teleomorph (= sexual) name           | Anamorph (= asexual) name             | Alternative name/ Name used in COGEM advice                                           | Remarks                | PC | Advice number                 |
|--------------------------|--------------------------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------|------------------------|----|-------------------------------|
| Saccharomycetaceae       | <i>Zygosaccharomyces rouxii</i>                        | <i>Zygosaccharomyces rouxii</i>      |                                       |                                                                                       |                        | 1  | <a href="#">CGM/070917-02</a> |
| Saccharomycetaceae       | <i>Zygorulasporea mrakii</i>                           |                                      |                                       | before <i>Zygosaccharomyces mrakii</i>                                                |                        | 1  | <a href="#">CGM/171225-01</a> |
| Sacchettoeciaceae        | <i>Aureobasidium melanogenum</i>                       |                                      | <i>Aureobasidium melanogenum</i>      | before <i>Aureobasidium pullulans sensu lato</i>                                      |                        | 1  | <a href="#">CGM/170628-02</a> |
| Sacchettoeciaceae        | <i>Aureobasidium pullulans</i>                         |                                      | <i>Aureobasidium pullulans</i>        | = <i>Discosphaerina fulvida</i> , before <i>Aureobasidium pullulans sensu lato</i>    |                        | 1  | <a href="#">CGM/170628-02</a> |
| Sacchettoeciaceae        | <i>Aureobasidium pullulans</i> var. <i>namibiae</i>    |                                      | <i>Aureobasidium namibiae</i>         | = <i>Aureobasidium namibiae</i> ; before <i>Aureobasidium pullulans sensu lato</i>    |                        | 1  | <a href="#">CGM/170628-02</a> |
| Sacchettoeciaceae        | <i>Aureobasidium pullulans</i> var. <i>subglaciale</i> |                                      | <i>Aureobasidium subglaciale</i>      | = <i>Aureobasidium subglaciale</i> ; before <i>Aureobasidium pullulans sensu lato</i> |                        | 1  | <a href="#">CGM/170628-02</a> |
| Sarocladiaceae           | <i>Chlamydocillium curvulum</i>                        |                                      | <i>Acremonium curvulum</i>            | before <i>Acremonium curvulum</i>                                                     |                        | 1  | <a href="#">CGM/111024-02</a> |
| Schizosaccharomycetaceae | <i>Schizosaccharomyces japonicus</i>                   |                                      |                                       | = <i>Hasegawaea japonica</i> and <i>Octosporomyces japonicus</i>                      |                        | 1  | <a href="#">CGM/181204-02</a> |
| Schizosaccharomycetaceae | <i>Schizosaccharomyces pombe</i>                       | <i>Schizosaccharomyces pombe</i>     |                                       |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Sordariaceae             | <i>Neurospora crassa</i>                               | <i>Neurospora crassa</i>             |                                       |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Sordariaceae             | <i>Neurospora intermedia</i>                           |                                      | <i>Neurospora intermedia</i>          |                                                                                       |                        | 1  | <a href="#">CGM/201030-01</a> |
| Sordariaceae             | <i>Neurospora tetrasperma</i>                          |                                      | <i>Neurospora tetrasperma</i>         | = <i>Chrysonilia tetrasperma</i> = <i>Monilia tetrasperma</i>                         |                        | 1  | <a href="#">CGM/201030-01</a> |
| Sporidiobolaceae         | <i>Rhodotorula diobovata</i>                           | <i>Rhodosporeidium diobovatum</i>    | <i>Rhodotorula diobovatum</i>         | before <i>Rhodotorula diobovatum</i>                                                  |                        | 1  | <a href="#">CGM/111024-02</a> |
| Sporidiobolaceae         | <i>Rhodotorula glutinis</i>                            |                                      | <i>Rhodotorula glutinis</i>           |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Sporidiobolaceae         | <i>Rhodotorula mucilaginosa</i>                        |                                      | <i>Rhodotorula mucilaginosa</i>       |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Sporidiobolaceae         | <i>Rhodotorula sphaerocarpa</i>                        | <i>Rhodosporeidium sphaerocarpum</i> | <i>Rhodotorula sphaerocarpa</i>       |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Sporidiobolaceae         | <i>Rhodotorula toruloides</i>                          | <i>Rhodosporeidium toruloides</i>    | <i>Rhodotorula toruloides</i>         |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Sporormiaceae            | <i>Westerdykella minutispora</i>                       |                                      | <i>Phoma minutispora</i>              |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Strophariaceae           | <i>Cyclocybe aegerita</i>                              |                                      |                                       | = <i>Agrocybe aegerita</i>                                                            | known to produce toxin | 1  | <a href="#">CGM/170316-01</a> |
| Sympoventuriaceae        | <i>Scolecobasidium constrictum</i>                     |                                      | <i>Ochroconis constricta</i>          | = <i>Ochroconis constricta</i>                                                        |                        | 1  | <a href="#">CGM/111024-02</a> |
| Teratosphaeriaceae       | <i>Hortaea werneckii</i>                               |                                      | <i>Hortaea werneckii</i>              |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Tetraplospiraeriaceae    | <i>Tetraploa scheueri</i>                              | <i>Massarina tetraploa</i>           | <i>Tetraploa aristata</i>             | = <i>Tetraplospiraeria tetraploa</i>                                                  |                        | 1  | <a href="#">CGM/111024-02</a> |
| Thamnidaceae             | <i>Cokeromyces recurvatus</i>                          | <i>Cokeromyces recurvatus</i>        |                                       |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Thermoascaceae           | <i>Paecilomyces fulvus</i>                             | <i>Byssochlamys fulva</i>            | <i>Paecilomyces fulvus</i>            | = <i>Byssochlamys fulva</i>                                                           | known to produce toxin | 1  | <a href="#">CGM/220713-01</a> |
| Thermoascaceae           | <i>Thermoascus aurantiacus</i>                         | <i>Thermoascus aurantiacus</i>       |                                       |                                                                                       |                        | 1  | <a href="#">CGM/190122-01</a> |
| Thermoascaceae           | <i>Thermoascus crustaceus</i>                          | <i>Thermoascus crustaceus</i>        | <i>Paecilomyces crustaceus</i>        |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Togniniaceae             | <i>Phaeoacremonium alvesii</i>                         |                                      | <i>Phaeoacremonium alvesii</i>        |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Togniniaceae             | <i>Phaeoacremonium amstelodamense</i>                  |                                      | <i>Phaeoacremonium amstelodamense</i> |                                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |

| Family               | Name                                   | Teleomorph (= sexual) name      | Anamorph (= asexual) name                                    | Alternative name/ Name used in COGEM advice                           | Remarks                | PC | Advice number                 |
|----------------------|----------------------------------------|---------------------------------|--------------------------------------------------------------|-----------------------------------------------------------------------|------------------------|----|-------------------------------|
| Togniniaceae         | <i>Phaeoacremonium griseorubrum</i>    |                                 | <i>Phaeoacremonium griseorubrum</i>                          |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Togniniaceae         | <i>Phaeoacremonium inflatipes</i>      |                                 | <i>Phaeoacremonium inflatipes</i>                            |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Togniniaceae         | <i>Phaeoacremonium rubrigenum</i>      | <i>Togninia rubrigena</i>       | <i>Phaeoacremonium rubrigenum</i>                            |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Togniniaceae         | <i>Phaeoacremonium sphinctrophorum</i> |                                 | <i>Phaeoacremonium sphinctrophorum</i>                       |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Togniniaceae         | <i>Phaeoacremonium tardicrescens</i>   |                                 | <i>Phaeoacremonium tardicrescens</i>                         |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Togniniaceae         | <i>Phaeoacremonium venezuelense</i>    |                                 | <i>Phaeoacremonium venezuelense</i>                          |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Torulaceae           | <i>Dendryphion nanum</i>               | <i>Dendryphion nanum</i>        |                                                              |                                                                       | known to produce toxin | 1  | <a href="#">CGM/211001-01</a> |
| Triadelpiaceae       | <i>Triadelphia pulvinata</i>           |                                 | <i>Triadelphia pulvinata</i>                                 |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichocomaceae       | <i>Rasamsonia emersonii</i>            | <i>Talaromyces emersonii</i>    |                                                              |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichocomaceae       | <i>Talaromyces aculeatus</i>           | <i>Talaromyces aculeatus</i>    |                                                              | before <i>Penicillium aculeatum</i>                                   |                        | 1  | <a href="#">CGM/211001-01</a> |
| Trichocomaceae       | <i>Talaromyces columbinus</i>          | <i>Talaromyces columbinus</i>   |                                                              |                                                                       | known to produce toxin | 1  | <a href="#">CGM/170216-02</a> |
| Trichocomaceae       | <i>Talaromyces funiculosus</i>         |                                 | <i>Penicillium funiculosum</i>                               |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichocomaceae       | <i>Talaromyces macrosporus</i>         | <i>Talaromyces macrosporus</i>  |                                                              |                                                                       | known to produce toxin | 1  | <a href="#">CGM/060208-01</a> |
| Trichocomaceae       | <i>Talaromyces piceae</i>              |                                 | <i>Penicillium piceum</i>                                    | = <i>Talaromyces piceus</i>                                           |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichocomaceae       | <i>Talaromyces purpureogenus</i>       |                                 | <i>Penicillium purpurogenum</i>                              | = <i>Talaromyces purpureogenus</i>                                    |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichocomaceae       | <i>Talaromyces verruculosus</i>        | <i>Talaromyces verruculosus</i> |                                                              | = <i>Penicillium verruculosum</i>                                     |                        | 1  | <a href="#">CGM/181019-02</a> |
| Trichocomaceae       | <i>Thermomyces lanuginosus</i>         |                                 | <i>Thermomyces lanuginosus</i>                               | = <i>Humicola lanuginosa</i>                                          |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichomeriaceae      | <i>Knufia epidermidis</i>              |                                 | <i>Coniosporium epidermidis</i>                              | before <i>Coniosporium epidermidis</i>                                |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichomonascaceae    | <i>Blastobotrys terrestris</i>         |                                 | <i>Arxula terrestris</i>                                     | = <i>Arxula terrestris</i>                                            |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichosphaeriaceae   | <i>Sodiomyces alkalinus</i>            | <i>Sodiomyces alkalinus</i>     |                                                              |                                                                       |                        | 1  | <a href="#">CGM/140407-01</a> |
| Trichosporonaceae    | <i>Apiotrichum domesticum</i>          |                                 | <i>Trichosporon domesticum</i>                               | before <i>Trichosporon domesticum</i>                                 |                        | 1  | <a href="#">CGM/111024-02</a> |
| Trichosporonaceae    | <i>Cutaneotrichosporon curvatum</i>    |                                 | <i>Cutaneotrichosporon curvatus</i>                          | = <i>Cutaneotrichosporon curvatus</i>                                 |                        | 1  | <a href="#">CGM/160517-01</a> |
| Trichosporonaceae    | <i>Cutaneotrichosporon oleaginosum</i> |                                 | <i>Cutaneotrichosporon oleaginosus</i>                       | = <i>Cutaneotrichosporon oleaginosus</i>                              |                        | 1  | <a href="#">CGM/160517-01</a> |
| Trichosporonaceae    | <i>Vanrija humicola</i>                |                                 | <i>Cryptococcus humicola</i><br><i>Moniliella suaveolens</i> | = <i>Moniliella suaveolens</i>                                        |                        | 1  | <a href="#">CGM/111024-02</a> |
| Ustilaginaceae       | <i>Anthracoecystis flocculosa</i>      |                                 | <i>Pseudozyma flocculosa</i>                                 | = <i>Pseudozyma flocculosa</i>                                        |                        | 1  | <a href="#">CGM/111024-02</a> |
| Wallemiaceae         | <i>Wallemia sebi</i>                   |                                 | <i>Wallemia sebi</i>                                         |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |
| Wickerhamomycetaceae | <i>Wickerhamomyces anomalus</i>        | <i>Wickerhamomyces anomalus</i> | <i>Candida pelliculosa</i>                                   | <i>W. anomalus</i> = <i>Hansenula anomala</i> = <i>Pichia anomala</i> |                        | 1  | <a href="#">CGM/111024-02</a> |
| Xylariaceae          | <i>Ascotricha chartarum</i>            | <i>Ascotricha chartarum</i>     | <i>Dicyma ampullifera</i>                                    |                                                                       |                        | 1  | <a href="#">CGM/111024-02</a> |

| Family      | Name                          | Teleomorph (= sexual) name    | Anamorph (= asexual) name | Alternative name/ Name used in COGEM advice | Remarks | PC | Advice number        |
|-------------|-------------------------------|-------------------------------|---------------------------|---------------------------------------------|---------|----|----------------------|
| Xylariaceae | <i>Xylaria flabelliformis</i> | <i>Xylaria flabelliformis</i> |                           |                                             |         | 1  | <u>CGM/211001-01</u> |

**Table 2.** Overview of the pathogenicity classification of pathogenic fungi. PC – pathogenicity class. ...<sup>A</sup> – strictly animal pathogen. ...<sup>P</sup> – strictly plant pathogen ...<sup>F</sup> strictly fungi pathogen. sp. – subspecies. var. – variety

| Family            | Name                                                 | Teleomorph (= sexual) name      | Anamorph (= asexual) name               | Alternative name/ Name used in COGEM advice                                                                   | Remarks                            | PC             | Advice number                 |
|-------------------|------------------------------------------------------|---------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------|----------------|-------------------------------|
| Ajellomycetaceae  | <i>Blastomyces dermatitidis</i>                      | <i>Ajellomyces dermatitidis</i> | <i>Blastomyces dermatitidis</i>         |                                                                                                               |                                    | 3 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Blastomyces parvus</i>                            |                                 | <i>Emmonsia parva</i> var. <i>parva</i> |                                                                                                               |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Emergomyces pasteurianus</i>                      |                                 | <i>Emmonsia pasteuriana</i>             |                                                                                                               |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Emmonsia crescens</i>                             | <i>Ajellomyces crescens</i>     | <i>Emmonsia crescens</i>                | = <i>E. parva</i> var. <i>crescens</i> ; before <i>Adiaspiromyces crescens</i>                                |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Histoplasma capsulatum</i>                        | <i>Ajellomyces capsulatus</i>   | <i>Histoplasma capsulatum</i>           | <i>A. capsulatus</i> = <i>Emmonsia capsulata</i>                                                              |                                    | 3 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Histoplasma capsulatum</i> var. <i>farcinosum</i> |                                 | <i>Histoplasma farcinosum</i>           |                                                                                                               |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Histoplasma duboisii</i>                          |                                 | <i>Histoplasma duboisii</i>             | = <i>H. capsulata</i> var. <i>duboisii</i>                                                                    |                                    | 3              | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Paracoccidioides brasiliensis</i>                 |                                 | <i>Paracoccidioides brasiliensis</i>    |                                                                                                               |                                    | 3              | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Paracoccidioides lobogorgii</i>                   |                                 | <i>Loboa lobo</i>                       | = <i>Lacazia lobo</i>                                                                                         |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Ajellomycetaceae  | <i>Paracoccidioides lutzii</i>                       |                                 | <i>Paracoccidioides lutzii</i>          |                                                                                                               |                                    | 3              | <a href="#">CGM/111024-03</a> |
| Apiosporaceae     | <i>Nigrospora sphaerica</i>                          |                                 | <i>Nigrospora sphaerica</i>             |                                                                                                               |                                    | 2 <sup>P</sup> | <a href="#">CGM/170628-02</a> |
| Arachnomycetaceae | <i>Arachnomyces nodosetosus</i>                      | <i>Arachnomyces nodosetosus</i> | <i>Onychocola canadensis</i>            |                                                                                                               |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrotrichaceae  | <i>Orbilia oligospora</i>                            |                                 | <i>Arthrotrichs oligospora</i>          | = <i>Arthrotrichs oligospora</i>                                                                              |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Arthroderma amazonicum</i>                        | <i>Arthroderma borellii</i>     | <i>Microsporum amazonicum</i>           | = <i>Arthroderma amazonicum</i>                                                                               |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Arthroderma phaseoliforme</i>                     |                                 | <i>Trichophyton phaseoliforme</i>       | before <i>T. phaseoliforme</i>                                                                                |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Keratinomyces ajelloi</i>                         |                                 | <i>Keratinomyces ajelloi</i>            | = <i>Keratinomyces ajelloi</i>                                                                                |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Epidermophyton floccosum</i>                      |                                 | <i>Epidermophyton floccosum</i>         |                                                                                                               | causes allergic reaction in humans | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Lophophyton gallinae</i>                          | <i>Arthroderma grubyi</i>       | <i>Microsporum gallinae</i>             |                                                                                                               |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Microsporum audouinii</i>                         |                                 | <i>Microsporum audouinii</i>            | = <i>Microsporum langeronii</i> = <i>Microsporum rivalieri</i>                                                |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Microsporum canis</i>                             | <i>Arthroderma otae</i>         | <i>Microsporum canis</i>                | <i>A. otae</i> = <i>Nannizzia otae</i>                                                                        |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Microsporum canis</i>                             | <i>Microsporum canis</i>        | <i>Microsporum distortum</i>            | = <i>Microsporum canis</i> var. <i>distortum</i>                                                              |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Microsporum duboisii</i>                          |                                 | <i>Microsporum duboisii</i>             |                                                                                                               |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Microsporum equinum</i>                           |                                 | <i>Microsporum equinum</i>              | = <i>Microsporum canis</i> var. <i>distortum</i>                                                              |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Microsporum ferrugineum</i>                       |                                 | <i>Microsporum ferrugineum</i>          |                                                                                                               |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Nannizzia corniculata</i>                         | <i>Arthroderma corniculatum</i> | <i>Microsporum</i> sp.                  | = <i>A. corniculatum</i>                                                                                      | causes allergic reaction in humans | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Nannizzia fulva</i>                               | <i>Arthroderma fulvum</i>       | <i>Microsporum fulvum</i>               | <i>A. fulvum</i> = <i>N. fulva</i> ; <i>M. fulvum</i> = <i>M. boullardii</i> = <i>Trichophyton longifusum</i> |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Arthrodermataceae | <i>Nannizzia fulva</i>                               | <i>Arthroderma incurvatum</i>   | <i>Microsporum gypseum</i>              |                                                                                                               |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |

| Family              | Name                                  | Teleomorph (= sexual) name            | Anamorph (= asexual) name          | Alternative name/ Name used in COGEM advice                                                                    | Remarks                                                    | PC                    | Advice number                   |
|---------------------|---------------------------------------|---------------------------------------|------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------------|---------------------------------|
| Arthrodermataceae   | <i>Nannizzia nana</i>                 | <i>Arthroderma obtusum</i>            | <i>Microsporum nanum</i>           | <i>A. obtusum</i> = <i>Nannizzia obtusa</i>                                                                    |                                                            | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Nannizzia persicolor</i>           | <i>Arthroderma persicolor</i>         | <i>Microsporum persicolor</i>      | = <i>Arthroderma persicolor</i>                                                                                |                                                            | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Nannizzia praecox</i>              |                                       | <i>Microsporum praecox</i>         |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton concentricum</i>      |                                       | <i>Trichophyton concentricum</i>   |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton equinum</i>           |                                       | <i>Trichophyton equinum</i>        | = <i>T. equinum</i>                                                                                            |                                                            | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton interdigitale</i>     | <i>Arthroderma vanbreuseghemii</i>    | <i>Trichophyton kraidenii</i>      |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton mentagrophytes</i>    | <i>Arthroderma vanbreuseghemii</i>    | <i>Trichophyton mentagrophytes</i> |                                                                                                                | known to produce toxin                                     | 2                     | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton rubrum</i>            |                                       | <i>Trichophyton rubrum</i>         | = <i>T. fischeri</i> = <i>T. gourvilii</i> var. <i>intermedium</i> = <i>T. kanei</i> = <i>T. raubitschekii</i> | known to produce toxin                                     | 2                     | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton schoenleinii</i>      |                                       | <i>Trichophyton schoenleinii</i>   |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton simii</i>             | <i>Arthroderma simii</i>              | <i>Trichophyton simii</i>          |                                                                                                                |                                                            | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton tonsurans</i>         |                                       | <i>Trichophyton tonsurans</i>      |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton verrucosum</i>        |                                       | <i>Trichophyton verrucosum</i>     |                                                                                                                |                                                            | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Arthrodermataceae   | <i>Trichophyton violaceum</i>         |                                       | <i>Trichophyton violaceum</i>      | = <i>T. soudanense</i> , <i>T. yaoundei</i>                                                                    | known to produce toxin                                     | 2                     | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus flavus</i>             |                                       | <i>Aspergillus flavus</i>          |                                                                                                                | known to produce toxin                                     | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus fumigatus</i>          |                                       | <i>Aspergillus arvii</i>           |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus fumigatus</i>          | <i>Neosartorya fumigata</i>           | <i>Aspergillus fumigatus</i>       |                                                                                                                | known to produce toxin; causes allergic reaction in humans | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus lentulus</i>           |                                       | <i>Aspergillus lentulus</i>        |                                                                                                                | known to produce toxin                                     | 2                     | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus parasiticus</i>        | <i>Petromyces parasiticus</i>         | <i>Aspergillus parasiticus</i>     |                                                                                                                | known to produce toxin                                     | 2 <sup>P</sup>        | <a href="#">CGM/220118-02</a>   |
| Aspergillaceae      | <i>Aspergillus terreus</i>            |                                       | <i>Aspergillus terreus</i>         |                                                                                                                | known to produce toxin                                     | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus thermomutatus</i>      | <i>Neosartorya pseudofischeri</i>     | <i>Aspergillus thermomutatus</i>   |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus tubingensis</i>        |                                       | <i>Aspergillus tubingensis</i>     | before <i>A. niger</i> var. <i>tubingensis</i>                                                                 |                                                            | 2 <sup>P</sup>        | <a href="#">CGM/210712-02</a>   |
| Aspergillaceae      | <i>Aspergillus versicolor</i>         |                                       | <i>Aspergillus versicolor</i>      |                                                                                                                | known to produce toxin                                     | 2                     | <a href="#">CGM/111024-03</a>   |
| Aspergillaceae      | <i>Aspergillus welwitschiae</i>       |                                       | <i>Aspergillus welwitschiae</i>    | before <i>A. awamori</i>                                                                                       | known to produce toxin                                     | 2 <sup>P</sup>        | <a href="#">CGM/211004-01**</a> |
| Basidiobolaceae     | <i>Basidiobolus haptosporus</i>       | <i>Basidiobolus haptosporus</i>       |                                    |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Basidiobolaceae     | <i>Basidiobolus ranarum</i>           | <i>Basidiobolus ranarum</i>           |                                    |                                                                                                                |                                                            | 2 <sup>D</sup>        | <a href="#">CGM/111024-03</a>   |
| Batrachochytriaceae | <i>Batrachochytrium dendrobatidis</i> | <i>Batrachochytrium dendrobatidis</i> |                                    |                                                                                                                |                                                            | 2                     | <a href="#">CGM/111024-03</a>   |
| Bionectriaceae      | <i>Clonostachys rosea</i>             |                                       | <i>Clonostachys rosea</i>          | = <i>Gliocladium catenulatum</i>                                                                               |                                                            | 2 <sup>P</sup> ,<br>D | <a href="#">CGM/170628-02</a>   |
| Botryosphaeriaceae  | <i>Lasiodiplodia theobromae</i>       | <i>Botryosphaeria rhodina</i>         | <i>Lasiopodia theobromae</i>       |                                                                                                                |                                                            | 2 <sup>P</sup>        | <a href="#">CGM/111024-03</a>   |

| Family             | Name                                  | Teleomorph (= sexual) name          | Anamorph (= asexual) name          | Alternative name/ Name used in COGEM advice                                                      | Remarks                            | PC             | Advice number                  |
|--------------------|---------------------------------------|-------------------------------------|------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------|----------------|--------------------------------|
| Botryosphaeriaceae | <i>Neoscytalidium dimidiatum</i>      |                                     | <i>Scytalidium dimidiatum</i>      | = <i>Neoscytalidium dimidiatum</i> , <i>Scytalidium hyalinum</i> and <i>Natrassia mangiferae</i> |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Cephalothecaceae   | <i>Phialemonium dimorphosporum</i>    |                                     | <i>Phialemonium dimorphosporum</i> |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Cephalothecaceae   | <i>Phialemonium obovatum</i>          |                                     | <i>Phialemonium obovatum</i>       |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Cladosporiaceae    | <i>Cladosporium herbarum</i>          | <i>Mycosphaerella tassiana</i>      | <i>Cladosporium herbarum</i>       |                                                                                                  |                                    | 2 <sup>P</sup> | <a href="#">CGM/170628-02</a>  |
| Clavicipitaceae    | <i>Metarhizium anisopliae</i>         |                                     | <i>Metarhizium anisopliae</i>      |                                                                                                  |                                    | 2 <sup>D</sup> | <a href="#">CGM/151126-01</a>  |
| Conidiobolaceae    | <i>Conidiobolus coronatus</i>         | <i>Conidiobolus coronatus</i>       |                                    | = <i>Delacroixia coronata</i>                                                                    |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Conidiobolaceae    | <i>Conidiobolus incongruus</i>        | <i>Conidiobolus incongruus</i>      |                                    |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Coniothyriaceae    | <i>Coniothyrium fuckelii</i>          | <i>Leptosphaeria coniothyrium</i>   | <i>Coniothyrium fuckelii</i>       | = <i>Paraconiothyrium fuckelii</i>                                                               |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a>  |
| Coniothyriaceae    | <i>Coniothyrium glycines</i>          |                                     | <i>Phoma glycinicola</i>           |                                                                                                  |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a>  |
| Cordycipitaceae    | <i>Beauveria pseudobassiana</i>       |                                     | <i>Beauveria pseudobassiana</i>    |                                                                                                  | known to produce toxin             | 2 <sup>D</sup> | <a href="#">CGM/141215-02</a>  |
| Cordycipitaceae    | <i>Lecanicillium attenuatum</i>       |                                     |                                    | = <i>Akanthomyces attenuatus</i>                                                                 |                                    | 2              | <a href="#">CGM/181203-01</a>  |
| Cordycipitaceae    | <i>Lecanicillium lecanii</i>          |                                     | <i>Verticillium lecanii</i>        | = <i>Akanthomyces lecanii</i> = <i>Verticillium lecanii</i>                                      |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a>  |
| Cordycipitaceae    | <i>Lecanicillium muscarium</i>        |                                     | <i>Lecanicillium muscarium</i>     | = <i>Akanthomyces muscarius</i>                                                                  |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a>  |
| Cordycipitaceae    | <i>Zarea fungicola</i>                |                                     | <i>Lecanicillium fungicola</i>     | = <i>Verticillium fungicola</i> = <i>Lecanicillium fungicola</i>                                 |                                    | 2 <sup>F</sup> | <a href="#">CGM/150303-02</a>  |
| Cryphonectriaceae  | <i>Cryphonectria parasitica</i>       | <i>Cryphonectria parasitica</i>     |                                    | = <i>Endothia parasitica</i>                                                                     |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a>  |
| Cryptococcaceae    | <i>Cryptococcus deneoformans</i>      | <i>Filobasidiella neoformans</i>    | <i>Cryptococcus deneoformans</i>   |                                                                                                  | causes allergic reaction in humans | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a>  |
| Cryptococcaceae    | <i>Cryptococcus gattii</i>            | <i>Filobasidiella bacillispora</i>  | <i>Cryptococcus gattii</i>         |                                                                                                  |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a>  |
| Cryptococcaceae    | <i>Cryptococcus neoformans</i>        | <i>Filobasidiella neoformans</i>    | <i>Cryptococcus neoformans</i>     |                                                                                                  | causes allergic reaction in humans | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a>  |
| Cucurbitariaceae   | <i>Neocucurbitaria unguis-hominis</i> |                                     | <i>Pyrenochaeta unguishominis</i>  |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Cunninghamellaceae | <i>Absidia coerulea</i>               | <i>Absidia coerulea</i>             |                                    |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Cunninghamellaceae | <i>Cunninghamella bertholletiae</i>   | <i>Cunninghamella bertholletiae</i> |                                    |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Cyphellophoraceae  | <i>Cyphellophora europaea</i>         |                                     | <i>Phialophora europaea</i>        |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Debaryomycetaceae  | <i>Candida albicans</i>               |                                     | <i>Candida albicans</i>            | = <i>C. stellatoidea</i> = <i>C. africana</i>                                                    | causes allergic reaction in humans | 2              | <a href="#">CGM/010322-01*</a> |
| Debaryomycetaceae  | <i>Candida dubliniensis</i>           |                                     | <i>Candida dubliniensis</i>        |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Debaryomycetaceae  | <i>Candida metapsilosis</i>           |                                     | <i>Candida metapsilosis</i>        |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Debaryomycetaceae  | <i>Candida orthopsilosis</i>          |                                     | <i>Candida orthopsilosis</i>       |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Debaryomycetaceae  | <i>Candida parapsilosis</i>           |                                     | <i>Candida parapsilosis</i>        |                                                                                                  |                                    | 2              | <a href="#">CGM/111024-03</a>  |
| Debaryomycetaceae  | <i>Candida tropicalis</i>             |                                     | <i>Candida tropicalis</i>          |                                                                                                  |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a>  |

| Family              | Name                                  | Teleomorph (= sexual) name     | Anamorph (= asexual) name                     | Alternative name/ Name used in COGEM advice                                                                                               | Remarks                | PC             | Advice number                 |
|---------------------|---------------------------------------|--------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------|-------------------------------|
| Didymellaceae       | <i>Didymella glomerata</i>            |                                | <i>Phoma glomerata</i>                        | = <i>Phoma glomerata</i>                                                                                                                  | known to produce toxin | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Didymellaceae       | <i>Epicoccum sorghinum</i>            |                                | <i>Phoma sorghina</i>                         |                                                                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Didymellaceae       | <i>Juxtiphoma eupyrena</i>            |                                | <i>Phoma eupyrena</i>                         | before <i>Phoma eupyrena</i>                                                                                                              |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Didymellaceae       | <i>Phoma herbarum</i>                 |                                | <i>Phoma herbarum</i>                         | = <i>Phoma cruris-hominis</i>                                                                                                             |                        | 2 <sup>P</sup> | <a href="#">CGM/170628-02</a> |
| Didymellaceae       | <i>Stagonosporopsis oculo-hominis</i> |                                | <i>Phoma dennissii</i> v. <i>oculohominis</i> |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Dipodascaceae       | <i>Geotrichum candidum</i>            | <i>Galactomyces geotrichum</i> | <i>Geotrichum candidum</i>                    |                                                                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Dipodascaceae       | <i>Magnusiomyces capitatus</i>        | <i>Magnusiomyces capitatus</i> | <i>Saprochaete capitata</i>                   | <i>M. capitatus</i> = <i>Dipodascus capitatus</i> ; <i>S. capitata</i> = <i>Geotrichum capitatum</i> = <i>Blastoschizomyces capitatus</i> |                        | 2              | <a href="#">CGM/111024-03</a> |
| Dipodascaceae       | <i>Magnusiomyces clavatus</i>         |                                | <i>Saprochaete clavata</i>                    |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Dipodascaceae       | <i>Saprochaete clavata</i>            |                                | <i>Geotrichum clavatum</i>                    |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Fomitopsidaceae     | <i>Fomitopsis pinicola</i>            | <i>Fomitopsis pinicola</i>     |                                               |                                                                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/140605-02</a> |
| Ganodermataceae     | <i>Ganoderma australe</i>             | <i>Ganoderma australe</i>      |                                               | before <i>Ganoderma adspersum</i> and <i>Ganoderma europaeum</i>                                                                          |                        | 2 <sup>P</sup> | <a href="#">CGM/140227-03</a> |
| Glomerellaceae      | <i>Colletotrichum coccodes</i>        |                                | <i>Colletotrichum coccodes</i>                |                                                                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Glomerellaceae      | <i>Colletotrichum dematium</i>        |                                | <i>Colletotrichum dematium</i>                |                                                                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Glomerellaceae      | <i>Colletotrichum gloeosporioides</i> | <i>Glomerella cingulata</i>    | <i>Colletotrichum gloeosporioides</i>         |                                                                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Glomerellaceae      | <i>Colletotrichum graminicola</i>     | <i>Glomerella tucumanensis</i> | <i>Colletotrichum graminicola</i>             |                                                                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Gymnoascaceae       | <i>Gymnoascus dankaliensis</i>        | <i>Gymnoascus dankaliensis</i> |                                               |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora arxii</i>         |                                | <i>Cladophialophora arxii</i>                 |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora bantiana</i>      |                                | <i>Cladophialophora bantiana</i>              |                                                                                                                                           |                        | 3 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora boppii</i>        |                                | <i>Cladophialophora boppii</i>                |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora carrionii</i>     |                                | <i>Cladophialophora carrionii</i>             |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora devriesii</i>     |                                | <i>Cladophialophora devriesii</i>             |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora emmonsii</i>      |                                | <i>Cladophialophora emmonsii</i>              |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora immunda</i>       |                                | <i>Cladophialophora immunda</i>               |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora modesta</i>       |                                | <i>Cladophialophora modesta</i>               |                                                                                                                                           |                        | 3              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora mycetomatis</i>   |                                | <i>Cladophialophora mycetomatis</i>           |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Cladophialophora samoënsis</i>     |                                | <i>Cladophialophora samoënsis</i>             |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Exophiala asiatica</i>             |                                | <i>Exophiala asiatica</i>                     |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Exophiala attenuata</i>            |                                | <i>Exophiala attenuata</i>                    |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Herpotrichiellaceae | <i>Exophiala bergeri</i>              |                                | <i>Exophiala bergeri</i>                      |                                                                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |

| Family                     | Name                             | Teleomorph (= sexual) name     | Anamorph (= asexual) name        | Alternative name/ Name used in COGEM advice                  | Remarks                | PC               | Advice number                 |
|----------------------------|----------------------------------|--------------------------------|----------------------------------|--------------------------------------------------------------|------------------------|------------------|-------------------------------|
| <i>Herpotrichiellaceae</i> | <i>Exophiala castellanii</i>     |                                | <i>Exophiala castellanii</i>     | = <i>E. mansonii</i>                                         |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala dermatitidis</i>    |                                | <i>Exophiala dermatitidis</i>    |                                                              |                        | 2 <sup>D</sup>   | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala jeanselmei</i>      |                                | <i>Exophiala jeanselmei</i>      |                                                              |                        | 2 <sup>D</sup>   | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala lecanii-corni</i>   |                                | <i>Exophiala lecanii-corni</i>   |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala moniliae</i>        |                                | <i>Exophiala moniliae</i>        |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala oligosperma</i>     |                                | <i>Exophiala oligosperma</i>     |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala phaeomuriformis</i> |                                | <i>Exophiala phaeomuriformis</i> | = <i>Sarcinomyces phaeomuriformis</i>                        |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala pisciphila</i>      |                                | <i>Exophiala pisciphila</i>      |                                                              |                        | 2 <sup>D</sup>   | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala salmonis</i>        |                                | <i>Exophiala salmonis</i>        |                                                              |                        | 2 <sup>D</sup>   | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Exophiala spinifera</i>       |                                | <i>Exophiala spinifera</i>       | = <i>Rhinoclatiella spinifera</i>                            |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Fonsecaea monophora</i>       |                                | <i>Fonsecaea monophora</i>       |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Fonsecaea pedrosoi</i>        |                                | <i>Fonsecaea compacta</i>        | = <i>Rhinoclatiella compacta</i> = <i>R. pedrosoi</i>        |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Phialophora americana</i>     | <i>Capronia semiimmersa</i>    | <i>Phialophora americana</i>     |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Phialophora verrucosa</i>     |                                | <i>Phialophora verrucosa</i>     |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Rhinoclatiella aquaspersa</i> |                                | <i>Rhinoclatiella aquaspersa</i> |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Rhinoclatiella mackenziei</i> |                                | <i>Ramichloridium mackenziei</i> | = <i>R. mackenziei</i>                                       |                        | 3                | <a href="#">CGM/111024-03</a> |
| <i>Herpotrichiellaceae</i> | <i>Rhinoclatiella similis</i>    |                                | <i>Rhinoclatiella similis</i>    |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Hymenochaetaceae</i>    | <i>Porodaedalea pini</i>         | <i>Phellinus pini</i>          |                                  | = <i>Phellinus pini</i>                                      |                        | 2 <sup>P</sup>   | <a href="#">CGM/140227-03</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma aggressivum</i>   |                                | <i>Trichoderma aggressivum</i>   |                                                              | known to produce toxin | 2 <sup>F</sup>   | <a href="#">CGM/150303-02</a> |
| <i>Hypocreaceae</i>        | <i>Trichoderma viride</i>        | <i>Hypocrea rufa</i>           | <i>Trichoderma viride</i>        |                                                              |                        | 2 <sup>F,D</sup> | <a href="#">CGM/080131-05</a> |
| <i>Lichtheimiaceae</i>     | <i>Lichtheimia corymbifera</i>   | <i>Lichtheimia corymbifera</i> |                                  | = <i>Mycocladus corymbifera</i> = <i>Absidia corymbifera</i> |                        | 2 <sup>D</sup>   | <a href="#">CGM/111024-03</a> |
| <i>Lichtheimiaceae</i>     | <i>Lichtheimia ornata</i>        | <i>Absidia ornata</i>          |                                  |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Lichtheimiaceae</i>     | <i>Lichtheimia ramosa</i>        | <i>Lichtheimia ramosa</i>      |                                  | = <i>Mycocladus lutetiensis</i>                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Lichtheimiaceae</i>     | <i>Rhizomucor pusillus</i>       | <i>Rhizomucor pusillus</i>     |                                  |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Malasseziaceae</i>      | <i>Malassezia furfur</i>         |                                | <i>Malassezia furfur</i>         |                                                              |                        | 2                | <a href="#">CGM/200407-01</a> |
| <i>Malasseziaceae</i>      | <i>Malassezia globosa</i>        |                                | <i>Malassezia globosa</i>        | = <i>Pityrosporum orbiculara</i>                             |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Malasseziaceae</i>      | <i>Malassezia obtusa</i>         |                                | <i>Malassezia obtusa</i>         |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Malasseziaceae</i>      | <i>Malassezia pachydermatis</i>  |                                | <i>Malassezia pachydermatis</i>  |                                                              |                        | 2 <sup>D</sup>   | <a href="#">CGM/200407-01</a> |
| <i>Malasseziaceae</i>      | <i>Malassezia restricta</i>      |                                | <i>Malassezia restricta</i>      |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |
| <i>Malasseziaceae</i>      | <i>Malassezia slooffiae</i>      |                                | <i>Malassezia slooffiae</i>      |                                                              |                        | 2                | <a href="#">CGM/111024-03</a> |

| Family            | Name                                   | Teleomorph (= sexual) name       | Anamorph (= asexual) name              | Alternative name/ Name used in COGEM advice                                               | Remarks                | PC             | Advice number                 |
|-------------------|----------------------------------------|----------------------------------|----------------------------------------|-------------------------------------------------------------------------------------------|------------------------|----------------|-------------------------------|
| Malasseziaceae    | <i>Malassezia sympodialis</i>          |                                  | <i>Malassezia sympodialis</i>          |                                                                                           |                        | 2              | <a href="#">CGM/200407-01</a> |
| Metschnikowiaceae | <i>Clavispora lusitaniae</i>           | <i>Clavispora lusitaniae</i>     | <i>Candida lusitaniae</i>              |                                                                                           |                        | 2              | <a href="#">CGM/100122-02</a> |
| Microascaceae     | <i>Lomentospora prolificans</i>        |                                  | <i>Scedosporium prolificans</i>        |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Microascaceae     | <i>Microascus paisii</i>               |                                  | <i>Scopulariopsis brumptii</i>         |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Microascaceae     | <i>Scedosporium apiospermum</i>        |                                  | <i>Polycytella hominis</i>             | = <i>Monosporium apiospermum</i> = <i>P. hominis</i> = <i>Pseudallescheria apiosperma</i> |                        | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Microascaceae     | <i>Scedosporium apiospermum</i>        | <i>Pseudallescheria fusoidea</i> | <i>Scedosporium apiospermum</i>        |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Microascaceae     | <i>Scedosporium aurantiacum</i>        |                                  | <i>Scedosporium aurantiacum</i>        |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Microascaceae     | <i>Scedosporium boydii</i>             | <i>Pseudallescheria boydii</i>   | <i>Scedosporium boydii</i>             | <i>S. boydii</i> = <i>Graphium eumorphum</i>                                              |                        | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Microascaceae     | <i>Scopulariopsis brevicaulis</i>      | <i>Microascus brevicaulis</i>    | <i>Scopulariopsis brevicaulis</i>      |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Mortierellaceae   | <i>Mortierella wolfii</i>              | <i>Mortierella wolfii</i>        |                                        |                                                                                           |                        | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Mucoraceae        | <i>Mucor amphibiorum</i>               | <i>Mucor amphibiorum</i>         |                                        |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Mucoraceae        | <i>Mucor circinelloides</i>            |                                  |                                        | before <i>Mucor circinelloides</i> f. <i>circinelloides</i>                               |                        | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Mucoraceae        | <i>Mucor griseocyaneus</i>             |                                  |                                        | before <i>Mucor circinelloides</i> f. <i>griseocyaneus</i>                                |                        | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Mucoraceae        | <i>Mucor hiemalis</i>                  | <i>Mucor hiemalis</i>            |                                        |                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Mucoraceae        | <i>Mucor irregularis</i>               | <i>Rhizomucor variabilis</i>     |                                        |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
| Mucoraceae        | <i>Mucor janssenii</i>                 |                                  |                                        | before <i>Mucor circinelloides</i> f. <i>janssenii</i>                                    |                        | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Mucoraceae        | <i>Mucor racemosus</i>                 | <i>Mucor racemosus</i>           |                                        |                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
|                   | <i>Dissitimurus exedrus</i>            |                                  | <i>Dissitimurus exedrus</i>            |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
|                   | <i>Madurella mycetomatis</i>           |                                  | <i>Madurella mycetomatis</i>           |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
|                   | <i>Mycocentrospora acerina</i>         |                                  | <i>Mycocentrospora acerina</i>         |                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
|                   |                                        | <i>Arthroderma benhamiae</i>     | <i>Trichophyton erinacei</i>           | = <i>Trichophyton benhamiae</i>                                                           |                        | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
|                   |                                        | <i>Eremomyces langeronii</i>     | <i>Arthrographis kalrae</i>            |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
|                   |                                        | <i>Cordyceps bassiana</i>        | <i>Beauveria bassiana</i>              |                                                                                           | known to produce toxin | 2 <sup>D</sup> | <a href="#">CGM/141215-02</a> |
|                   |                                        | <i>Cordyceps brongniartii</i>    | <i>Beauveria brongniartii</i>          |                                                                                           | known to produce toxin | 2 <sup>D</sup> | <a href="#">CGM/141215-02</a> |
|                   |                                        | <i>Sydowia polyspora</i>         | <i>Hormonema dematioides</i>           |                                                                                           |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
|                   |                                        | <i>Hypocrea koningii</i>         | <i>Trichoderma koningii</i>            |                                                                                           |                        | 2 <sup>F</sup> | <a href="#">CGM/170628-02</a> |
|                   | <i>Pseudochaetosphaeronema larense</i> |                                  | <i>Pseudochaetosphaeronema larense</i> |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
|                   | <i>Pseudomicrodochium suttonii</i>     |                                  | <i>Pseudomicrodochium suttonii</i>     | = <i>Cyphellophora suttonii</i>                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |
|                   | <i>Rhinosporidium seeberi</i>          | <i>Rhinosporidium seeberi</i>    |                                        |                                                                                           |                        | 2              | <a href="#">CGM/111024-03</a> |

| Family               | Name                                          | Teleomorph (= sexual) name                           | Anamorph (= asexual) name         | Alternative name/ Name used in COGEM advice | Remarks                | PC             | Advice number                 |
|----------------------|-----------------------------------------------|------------------------------------------------------|-----------------------------------|---------------------------------------------|------------------------|----------------|-------------------------------|
|                      | <i>Tritirachium oryzae</i>                    |                                                      | <i>Tritirachium oryzae</i>        |                                             |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Fusarium falciforme</i>                    |                                                      | <i>Acremonium falciforme</i>      |                                             |                        | 2              | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Fusarium oxysporum</i>                     |                                                      | <i>Fusarium oxysporum</i>         |                                             | known to produce toxin | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Fusarium proliferatum</i>                  | <i>Gibberella fujikuroi</i>                          | <i>Fusarium proliferatum</i>      |                                             | known to produce toxin | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Fusarium sacchari</i>                      |                                                      | <i>Fusarium sacchari</i>          |                                             |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Fusarium subglutinans</i>                  | <i>Gibberella fujikuroi</i> var. <i>subglutinans</i> | <i>Fusarium subglutinans</i>      |                                             | known to produce toxin | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Fusarium verticillioides</i>               | <i>Gibberella moniliformis</i>                       | <i>Fusarium verticillioides</i>   |                                             | known to produce toxin | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Ilyonectria destructans</i>                | <i>Nectria radicicola</i>                            | <i>Cylindrocarpon destructans</i> |                                             |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Neocosmospora cyanescens</i>               |                                                      | <i>Cylindrocarpon cyanescens</i>  |                                             |                        | 2              | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Neocosmospora solani</i>                   | <i>Nectria haematococca</i> var. <i>breviconia</i>   | <i>Fusarium solani</i>            |                                             | known to produce toxin | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Nectriaceae          | <i>Xenoacremonium recifei</i>                 |                                                      | <i>Acremonium recifei</i>         | = <i>A. recifei</i>                         |                        | 2              | <a href="#">CGM/111024-03</a> |
| Nigrogranaceae       | <i>Nigrograna mackinnonii</i>                 |                                                      | <i>Pyrenochaeta mackinnonii</i>   |                                             |                        | 2              | <a href="#">CGM/111024-03</a> |
| Onygenaceae          | <i>Aphanoascus fulvescens</i>                 | <i>Aphanoascus fulvescens</i>                        | <i>Chrysosporium</i> sp.          |                                             |                        | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Onygenaceae          | <i>Chrysosporium tropicum</i>                 |                                                      | <i>Chrysosporium tropicum</i>     |                                             |                        | 2              | <a href="#">CGM/111024-03</a> |
| Onygenaceae          | <i>Coccidioides immitis</i>                   |                                                      | <i>Coccidioides immitis</i>       |                                             |                        | 3 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Onygenaceae          | <i>Coccidioides posadasii</i>                 |                                                      | <i>Coccidioides posadasii</i>     |                                             |                        | 3              | <a href="#">CGM/111024-03</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps albacongiuae</i>            | <i>Ophiocordyceps albacongiuae</i>                   |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps blakebarnesii</i>           | <i>Ophiocordyceps blakebarnesii</i>                  |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-atricipis</i>     | <i>Ophiocordyceps camponoti-atricipis</i>            |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-balzani</i>       | <i>Ophiocordyceps camponoti-balzani</i>              |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-bispinosi</i>     | <i>Ophiocordyceps camponoti-bispinosi</i>            |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-chartificis</i>   | <i>Ophiocordyceps camponoti-chartificis</i>          |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-femorati</i>      | <i>Ophiocordyceps camponoti-femorati</i>             |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-floridani</i>     | <i>Ophiocordyceps camponoti-floridani</i>            |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-hippocrepidis</i> | <i>Ophiocordyceps camponoti-hippocrepidis</i>        |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-indiani</i>       | <i>Ophiocordyceps camponoti-indiani</i>              |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-leonardi</i>      | <i>Ophiocordyceps camponoti-leonardi</i>             |                                   |                                             |                        | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |

| Family               | Name                                               | Teleomorph (= sexual) name                         | Anamorph (= asexual) name      | Alternative name/ Name used in COGEM advice             | Remarks | PC             | Advice number                 |
|----------------------|----------------------------------------------------|----------------------------------------------------|--------------------------------|---------------------------------------------------------|---------|----------------|-------------------------------|
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-melanotici</i>         | <i>Ophiocordyceps camponoti-melanotici</i>         |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-nidulantis</i>         | <i>Ophiocordyceps camponoti-nidulantis</i>         |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-novogranadensis</i>    | <i>Ophiocordyceps camponoti-novogranadensis</i>    |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-renggeri</i>           | <i>Ophiocordyceps camponoti-renggeri</i>           |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-rufipedis</i>          | <i>Ophiocordyceps camponoti-rufipedis</i>          |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps camponoti-saundersi</i>          | <i>Ophiocordyceps camponoti-saundersi</i>          |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps halabalaensis</i>                | <i>Ophiocordyceps halabalaensis</i>                |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps humbertii</i>                    | <i>Ophiocordyceps humbertii</i>                    | <i>Hirsutella saussurei</i>    |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-03</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps kimflemingiae</i>                | <i>Ophiocordyceps kimflemingiae</i>                |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps naomipierceae</i>                | <i>Ophiocordyceps naomipierceae</i>                |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps ootakii</i>                      | <i>Ophiocordyceps ootakii</i>                      |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps polyrhachis-furcata</i>          | <i>Ophiocordyceps polyrhachis-furcata</i>          |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps pulvinata</i>                    | <i>Ophiocordyceps pulvinata</i>                    |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps rami</i>                         | <i>Ophiocordyceps rami</i>                         |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps satoi</i>                        | <i>Ophiocordyceps satoi</i>                        |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Ophiocordyceps unilateralis (sensu stricto)</i> | <i>Ophiocordyceps unilateralis (sensu stricto)</i> |                                |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/220713-02</a> |
| Ophiocordycipitaceae | <i>Purpureocillium lilacinum</i>                   |                                                    | <i>Paecilomyces lilacinus</i>  |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/240523-01</a> |
| Ophiostomataceae     | <i>Ophiostoma quercus</i>                          | <i>Ophiostoma roboris</i>                          |                                | = <i>Ophiostoma roboris</i>                             |         | 2              | <a href="#">CGM/111024-03</a> |
| Ophiostomataceae     | <i>Ophiostoma ulmi</i>                             | <i>Ophiostoma ulmi</i>                             |                                | before <i>Graphium ulmi</i>                             |         | 2 <sup>P</sup> | <a href="#">CGM/151126-01</a> |
| Ophiostomataceae     | <i>Sporothrix brasiliensis</i>                     |                                                    | <i>Sporothrix brasiliensis</i> |                                                         |         | 2              | <a href="#">CGM/111024-03</a> |
| Ophiostomataceae     | <i>Sporothrix globosa</i>                          |                                                    | <i>Sporothrix globosa</i>      |                                                         |         | 2              | <a href="#">CGM/111024-03</a> |
| Ophiostomataceae     | <i>Sporothrix luriei</i>                           |                                                    | <i>Sporothrix luriei</i>       |                                                         |         | 2              | <a href="#">CGM/111024-03</a> |
| Ophiostomataceae     | <i>Sporothrix pallida</i>                          |                                                    | <i>Sporothrix pallida</i>      |                                                         |         | 2              | <a href="#">CGM/111024-03</a> |
| Ophiostomataceae     | <i>Sporothrix schenckii</i>                        |                                                    | <i>Sporothrix schenckii</i>    |                                                         |         | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Peronosporaceae      | <i>Peronosclerospora philippinensis</i>            | <i>Peronosclerospora philippinensis</i>            |                                |                                                         |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Peronosporaceae      | <i>Sclerophtora zeae</i>                           | <i>Sclerophtora rayssiae</i> var. <i>zeaea</i>     |                                | = <i>Sclerophtora rayssiae</i> var. <i>zeaea</i>        |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pichiaceae           | <i>Pichia kudriavzevii</i>                         | <i>Pichia kudriavzevii</i>                         | <i>Candida krusei</i>          | <i>P. kudriavzevii</i> = <i>Issatchenkia orientalis</i> |         | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae        | <i>Alternaria caespitosa</i>                       | <i>Botryomyces caespitosus</i>                     |                                |                                                         |         | 2              | <a href="#">CGM/111024-03</a> |

| Family             | Name                                | Teleomorph (= sexual) name        | Anamorph (= asexual) name                                    | Alternative name/ Name used in COGEM advice                               | Remarks | PC             | Advice number                 |
|--------------------|-------------------------------------|-----------------------------------|--------------------------------------------------------------|---------------------------------------------------------------------------|---------|----------------|-------------------------------|
| Pleosporaceae      | <i>Alternaria dianthicola</i>       |                                   | <i>Alternaria dianthicola</i>                                |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Bipolaris australiensis</i>      | <i>Cochliobolus australiensis</i> | <i>Bipolaris australiensis</i>                               |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Curvularia australiensis</i>     |                                   | <i>Drechslera australiensis</i>                              |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Curvularia clavata</i>           |                                   | <i>Curvularia clavata</i>                                    |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Curvularia geniculata</i>        | <i>Cochliobolus geniculatus</i>   | <i>Curvularia geniculata</i>                                 |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Curvularia hawaiiensis</i>       |                                   | <i>Drechslera hawaiiensis</i>                                |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Curvularia lunata</i>            | <i>Cochliobolus lunatus</i>       | <i>Curvularia lunata</i>                                     |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Curvularia pallescens</i>        | <i>Cochliobolus pallescens</i>    | <i>Curvularia pallescens</i>                                 |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Curvularia spicifera</i>         | <i>Cochliobolus spiciferus</i>    | <i>Curvularia spicifera</i> ,<br><i>Drechslera spicifera</i> | before <i>Bipolaris spicifera</i>                                         |         | 2 <sup>P</sup> | <a href="#">CGM/170628-02</a> |
| Pleosporaceae      | <i>Curvularia verruculosa</i>       | <i>Cochliobolus verruculosus</i>  | <i>Curvularia verruculosa</i>                                |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Dichotomophthora portulacae</i>  |                                   | <i>Dichotomophthora portulacae</i>                           |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/170628-02</a> |
| Pleosporaceae      | <i>Exserohilum rostratum</i>        | <i>Setosphaeria rostrata</i>      | <i>Exserohilum rostratum</i>                                 |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleosporaceae      | <i>Pyrenophora biseptata</i>        |                                   | <i>Drechslera biseptata</i>                                  |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Pleurostomataceae  | <i>Pleurostoma richardsiae</i>      |                                   | <i>Pleurostoma richardsiae</i>                               | = <i>Pleurostomophora richardsiae</i> ,<br><i>Phialophora richardsiae</i> |         | 2              | <a href="#">CGM/111024-03</a> |
| Pneumocystidaceae  | <i>Pneumocystis jirovecii</i>       | <i>Pneumocystis jirovecii</i>     |                                                              |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |
| Pseudeurotiaceae   | <i>Pseudogymnoascus destructans</i> |                                   | <i>Geomyces destructans</i>                                  | <i>Pseudogymnoascus destructans</i>                                       |         | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Pythiaceae         | <i>Pythium insidiosum</i>           | <i>Pythium insidiosum</i>         |                                                              |                                                                           |         | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Quambalariaceae    | <i>Quambalaria cyanescens</i>       |                                   | <i>Cerinosterus cyanescens</i>                               | = <i>Fugomyces cyanescens</i>                                             |         | 2              | <a href="#">CGM/111024-03</a> |
| Rhizopodaceae      | <i>Rhizopus arrhizus</i>            | <i>Rhizopus oryzae</i>            |                                                              | = <i>R. oryzae</i>                                                        |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Rhizopodaceae      | <i>Rhizopus microsporus</i>         | <i>Rhizopus microsporus</i>       |                                                              | = <i>R. azygosporus</i>                                                   |         | 2              | <a href="#">CGM/111024-03</a> |
| Rhizopodaceae      | <i>Rhizopus schipperae</i>          | <i>Rhizopus schipperae</i>        |                                                              |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |
| Rhizopodaceae      | <i>Rhizopus stolonifer</i>          | <i>Rhizopus stolonifer</i>        |                                                              |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Saccharomycetaceae | <i>Eremothecium cymbalariae</i>     |                                   |                                                              |                                                                           |         | 2 <sup>P</sup> | <a href="#">CGM/171225-01</a> |
| Saccharomycetaceae | <i>Candida pseudotropicalis</i>     |                                   | <i>Candida pseudotropicalis</i>                              |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |
| Saccharomycetaceae | <i>Nakaseomyces bracarensis</i>     |                                   | <i>Candida bracarensis</i>                                   |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |
| Saccharomycetaceae | <i>Nakaseomyces glabratus</i>       |                                   | <i>Candida glabrata</i>                                      | = <i>Torulopsis glabrata</i> ,                                            |         | 2 <sup>D</sup> | <a href="#">CGM/010322-01</a> |
| Saccharomycetaceae | <i>Nakaseomyces nivariensis</i>     |                                   | <i>Candida nivariensis</i>                                   |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |
| Saksenaaceae       | <i>Apophysomyces elegans</i>        | <i>Apophysomyces elegans</i>      |                                                              |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |
| Saksenaaceae       | <i>Saksenaia vasiformis</i>         | <i>Saksenaia vasiformis</i>       |                                                              |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |
| Sarocladiaceae     | <i>Sarocladium kiliense</i>         |                                   | <i>Acremonium kiliense</i>                                   |                                                                           |         | 2              | <a href="#">CGM/111024-03</a> |

| Family              | Name                                | Teleomorph (= sexual) name         | Anamorph (= asexual) name          | Alternative name/ Name used in COGEM advice           | Remarks                            | PC             | Advice number                 |
|---------------------|-------------------------------------|------------------------------------|------------------------------------|-------------------------------------------------------|------------------------------------|----------------|-------------------------------|
| Sarocladiaceae      | <i>Sarocladium strictum</i>         |                                    | <i>Sarocladium strictum</i>        | = <i>Acremonium strictum</i>                          |                                    | 2 <sup>P</sup> | <a href="#">CGM/170628-02</a> |
| Schizophyllaceae    | <i>Schizophyllum commune</i>        | <i>Schizophyllum commune</i>       |                                    |                                                       |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Sclerotiniaceae     | <i>Ovulinia azalea</i>              | <i>Ovulinia azalea</i>             |                                    |                                                       |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Stachybotryaceae    | <i>Xepicula leucotricha</i>         |                                    | <i>Xepicula leucotricha</i>        | = <i>Myrothecium indicum</i> = <i>M. leucotrichum</i> | known to produce toxin             | 2 <sup>P</sup> | <a href="#">CGM/211215-01</a> |
| Sympoventuriaceae   | <i>Ochroconis humicola</i>          |                                    | <i>Ochroconis humicola</i>         |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Sympoventuriaceae   | <i>Scolecobasidium tshawytschae</i> |                                    | <i>Ochroconis tshawytschae</i>     | = <i>Scolecobasidium tshawytschae</i>                 |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Syncephalastraceae  | <i>Syncephalastrum racemosum</i>    | <i>Syncephalastrum racemosum</i>   |                                    |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Sympoventuriaceae   | <i>Verruconis gallopava</i>         |                                    | <i>Ochroconis gallopava</i>        |                                                       |                                    | 2 <sup>D</sup> | <a href="#">CGM/111024-03</a> |
| Teratosphaeriaceae  | <i>Stenella araguata</i>            |                                    | <i>Stenella araguata</i>           |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Testudinaceae       | <i>Neotestudina rosatii</i>         | <i>Neotestudina rosatii</i>        |                                    |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Thermoascaceae      | <i>Paecilomyces variotii</i>        |                                    | <i>Paecilomyces variotii</i>       |                                                       | known to produce toxin             | 2              | <a href="#">CGM/111024-03</a> |
| Thyridiaceae        | <i>Thyridium curvatum</i>           |                                    | <i>Phialemonium curvatum</i>       | before <i>Phialemonium curvatum</i>                   |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Togniniaceae        | <i>Phaeoacremonium krajdienii</i>   |                                    | <i>Phaeoacremonium krajdienii</i>  |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Togniniaceae        | <i>Phaeoacremonium parasiticum</i>  | <i>Togninia parasitica</i>         | <i>Phaeoacremonium parasiticum</i> | = <i>Phialophora parasitica</i>                       |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Trematosphaeriaceae | <i>Falciformispora senegalensis</i> | <i>Leptosphaeria senegalensis</i>  |                                    |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trematosphaeriaceae | <i>Falciformispora tompkinsii</i>   | <i>Leptosphaeria thompkinsii</i>   |                                    |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trematosphaeriaceae | <i>Medicopsis romeroi</i>           |                                    | <i>Pyrenochaeta romeroi</i>        |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trematosphaeriaceae | <i>Trematosphaeria grisea</i>       |                                    | <i>Madurella grisea</i>            |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trichocomaceae      | <i>Redaellia elegans</i>            |                                    | <i>Redaellia elegans</i>           |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trichocomaceae      | <i>Talaromyces marneffeii</i>       |                                    | <i>Penicillium marneffeii</i>      |                                                       | causes allergic reaction in humans | 2              | <a href="#">CGM/111024-03</a> |
| Trichomonascaceae   | <i>Trichomonascus ciferrii</i>      | <i>Trichomonascus ciferrii</i>     | <i>Candida ciferrii</i>            | <i>T. ciferrii</i> = <i>Stephanoascus ciferrii</i>    |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trichosphaeriaceae  | <i>Plectosphaerella cucumerina</i>  | <i>Plectosphaerella cucumerina</i> | <i>Plectosporium tabacinum</i>     |                                                       |                                    | 2 <sup>P</sup> | <a href="#">CGM/170628-02</a> |
| Trichosphaeriaceae  | <i>Verticillium alboatrum</i>       |                                    | <i>Verticillium alboatrum</i>      |                                                       |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Trichosphaeriaceae  | <i>Verticillium dahliae</i>         |                                    | <i>Verticillium dahliae</i>        |                                                       |                                    | 2 <sup>P</sup> | <a href="#">CGM/111024-03</a> |
| Trichosporonaceae   | <i>Cutaneotrichosporon cutaneum</i> |                                    | <i>Trichosporon cutaneum</i>       |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trichosporonaceae   | <i>Cutaneotrichosporon mucoides</i> |                                    | <i>Trichosporon mucoides</i>       |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trichosporonaceae   | <i>Trichosporon asahii</i>          |                                    | <i>Trichosporon asahii</i>         |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trichosporonaceae   | <i>Trichosporon asteroides</i>      |                                    | <i>Trichosporon asteroides</i>     |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |
| Trichosporonaceae   | <i>Trichosporon beigelii</i>        |                                    | <i>Trichosporon beigelii</i>       |                                                       |                                    | 2              | <a href="#">CGM/111024-03</a> |

| Family                   | Name                         | Teleomorph (= sexual) name | Anamorph (= asexual) name    | Alternative name/ Name used in COGEM advice | Remarks | PC | Advice number                 |
|--------------------------|------------------------------|----------------------------|------------------------------|---------------------------------------------|---------|----|-------------------------------|
| <i>Trichosporonaceae</i> | <i>Trichosporon dohaense</i> |                            | <i>Trichosporon dohaense</i> |                                             |         | 2  | <a href="#">CGM/111024-03</a> |
| <i>Trichosporonaceae</i> | <i>Trichosporon inkin</i>    |                            | <i>Trichosporon inkin</i>    |                                             |         | 2  | <a href="#">CGM/111024-03</a> |
| <i>Trichosporonaceae</i> | <i>Trichosporon ovoides</i>  |                            | <i>Trichosporon ovoides</i>  |                                             |         | 2  | <a href="#">CGM/111024-03</a> |

\* Originally advised about *C. africana* in COGEM advice [CGM/111024-03](#)

\*\* Originally advised about *A. welwitschiae* in COGEM advice [CGM/170628-02](#)